**Taunton**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	31.28	28	90	Male	22.73	14	62
Female	13.14	17	129	Female	19.61	15	77
Total	44.41	45	101	Total	42.34	29	68 #-
Brain and Other Ner	vous System			Multiple Myeloma			
Male	10.57	11	104	Male	6.40	10	156
Female	9.56	4	NC*	Female	6.43	8	124
Total	20.13	15	75	Total	12.84	18	140
<u>Breast</u>				Non-Hodgkin('s) Ly	mphoma		
Male	1.55	2	NC*	Male	26.03	26	100
Female	215.48	229	106	Female	25.86	30	116
Total	217.03	231	106	Total	51.88	56	108
Cervix Uteri				Oral Cavity & Phary	<u>'nx</u>		
				Male	19.76	33	167 ~+
Female	11.99	12	100	Female	10.73	10	93
				Total	30.50	43	141 #+
Colon / Rectum				<u>Ovary</u>			
Male	78.63	86	109				
Female	86.24	86	100	Female	25.19	19	75
Total	164.87	172	104				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	11.49	13	113	Male	13.98	19	136
Female	4.06	4	NC*	Female	16.75	18	107
Total	15.55	17	109	Total	30.73	37	120
Hodgkin's Disease (		ma)		<u>Prostate</u>			
Male	4.98	<del></del> 5	100	Male	200.60	172	86 #-
Female	4.63	4	NC*				
Total	9.61	9	94				
Kidney & Renal Pelv				Stomach			
Male	19.13	21	110	Male	13.67	20	146
Female	12.95	22	170 #+	Female	9.42	10	106
Total	32.07	43	134	Total	23.09	30	130
<u>Larynx</u>	02.0.			Testis	20.00		
Male	10.29	17	165	Male	8.00	9	113
Female	2.86	4	NC*		0.00	·	
Total	13.15	21	160				
<u>Leukemia</u>	10.10		.00	<u>Thyroid</u>			
Male	16.12	22	136	Male	4.59	0	NC*
Female	14.21	16	113	Female	14.60	13	89
Total	30.33	38	125	Total	19.18	13	68
Liver and Intrahepat		30	125	Uteri, Corpus and U		10	00
Male	8.21	6	73	oten, corpus and c	iterus, NOS		
Female	3.69	1	NC*	Female	40.41	37	92
Total	11.90	7	59	Female	40.41	JI	52
	11.50	I	59	All Sites / Types			
Lung and Bronchus Male	100.03	140	140 ^+	All Sites / Types Male	651.56	697	107
Female	91.91	99	108	Female	690.72	697	101
Total	191.94	239	125 ~+	Total	1342.28	1394	104

**Templeton**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	4.79	3	NC*	Male	3.57	6	168
Female	1.62	2	NC*	Female	2.48	3	NC*
Total	6.41	5	78	Total	6.05	9	149
<b>Brain and Other Nerv</b>	ous System			Multiple Myeloma			
Male	1.60	0	NC*	Male	1.01	2	NC*
Female	1.21	3	NC*	Female	0.82	0	NC*
Total	2.81	3	NC*	Total	1.83	2	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyn	nphoma		
Male	0.24	0	NC*	Male	3.98	4	NC*
Female	28.34	27	95	Female	3.25	4	NC*
Total	28.58	27	94	Total	7.23	8	111
Cervix Uteri				Oral Cavity & Pharys	<u>1X</u>		
				Male	3.23	2	NC*
Female	1.50	1	NC*	Female	1.39	0	NC*
				Total	4.61	2	NC*
Colon / Rectum				<u>Ovary</u>			
Male	12.12	17	140				
Female	10.56	12	114	Female	3.27	4	NC*
Total	22.68	29	128				
<u>Esophagus</u>				<u>Pancreas</u>			
Male	1.85	2	NC*	Male	2.19	2	NC*
Female	0.50	0	NC*	Female	2.06	2	NC*
Total	2.35	2	NC*	Total	4.25	4	NC*
Hodgkin's Disease (H	odgkin Lympho	<u>ma)</u>		<u>Prostate</u>			
Male	0.69	0	NC*	Male	32.42	25	77
Female	0.55	1	NC*				
Total	1.24	1	NC*				
Kidney & Renal Pelvi	<u>s</u>			<b>Stomach</b>			
Male	3.06	1	NC*	Male	2.10	2	NC*
Female	1.68	1	NC*	Female	1.14	3	NC*
Total	4.74	2	NC*	Total	3.24	5	154
<u>Larynx</u>				<u>Testis</u>			
Male	1.69	0	NC*	Male	1.01	0	NC*
Female	0.39	0	NC*				
Total	2.08	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	2.43	1	NC*	Male	0.70	0	NC*
Female	1.77	2	NC*	Female	1.81	2	NC*
Total	4.20	3	NC*	Total	2.50	2	NC*
Liver and Intrahepation	Bile Ducts			Uteri, Corpus and Ut	terus, NOS		
Male	1.32	0	NC*				
Female	0.46	2	NC*	Female	5.43	8	147
Total	1.78	2	NC*				
Lung and Bronchus				All Sites / Types			
Male	15.80	18	114	Male	102.32	89	87
Female	11.97	14	117	Female	88.45	100	113
Total	27.77	32	115	Total	190.78	189	99

**Tewksbury**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	16.69	17	102	Male	13.14	8	61
Female	5.88	6	102	Female	10.03	11	110
Total	22.57	23	102	Total	23.17	19	82
Brain and Other Ner	vous System			Multiple Myeloma			
Male	6.16	3	NC*	Male	3.54	4	NC*
Female	4.79	5	104	Female	3.03	4	NC*
Total	10.95	8	73	Total	6.56	8	122
<u>Breast</u>				Non-Hodgkin('s) Lyı	mphoma_		
Male	0.86	1	NC*	Male	14.67	13	89
Female	111.46	112	100	Female	12.25	18	147
Total	112.33	113	101	Total	26.91	31	115
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	11.77	12	102
Female	6.32	6	95	Female	5.31	7	132
				Total	17.09	19	111
Colon / Rectum				<u>Ovary</u>			
Male	42.62	39	92	<del></del> -			
Female	38.03	49	129	Female	12.93	14	108
Total	80.65	88	109				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	6.60	5	76	Male	7.73	6	78
Female	1.81	1	NC*	Female	7.44	6	81
Total	8.41	6	71	Total	15.17	12	79
Hodgkin's Disease (I				Prostate Prostate			. •
Male	2.95	<del>,</del> 5	170	Male	115.60	109	94
Female	2.36	3	NC*	Walo	110.00	100	01
Total	5.31	8	151				
Kidney & Renal Pelv		U	101	Stomach			
Male	10.99	13	118	<u>otomacn</u> Male	7.42	7	94
Female	6.42	6	93	Female	4.13	4	NC*
Total	17.41	19	109	Total	11.55	11	95
	17.41	19	109	<u>Testis</u>	11.55	11	30
<u>Larynx</u> Male	6.07	8	132	<u>resus</u> Male	4.71	5	106
Female	1.49	1	NC*	iviale	4.71	5	100
Total	7.55	9	119				
	7.55	9	119	Thursid			
<u>Leukemia</u>	0.00	0	404	<u>Thyroid</u>	0.70	4	NO*
Male	8.93	9	101	Male	2.78	4	NC*
Female	6.81	6	88	Female	7.80	6	77
Total	15.73	15	95	Total	10.58	10	95
Liver and Intrahepat		_	4.47	Uteri, Corpus and U	terus, NOS		
Male	4.76	7	147		04.40		
Female	1.67	3	NC*	Female	21.18	16	76
Total	6.43	10	156				
Lung and Bronchus				All Sites / Types			
Male	55.81	88	158 ^+	Male	367.49	381	104
Female	44.73	51	114	Female	339.20	359	106
Total	100.54	139	138 ^+	Total	706.69	740	105

**Tisbury**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	2.72	1	NC*	Male	1.83	7	382 ~+
Female	1.22	1	NC*	Female	1.54	2	NC*
Total	3.94	2	NC*	Total	3.37	9	267 #+
Brain and Other Nerv	ous System			Multiple Myeloma			
Male	0.80	1	NC*	Male	0.55	1	NC*
Female	0.76	0	NC*	Female	0.59	1	NC*
Total	1.56	1	NC*	Total	1.14	2	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyr	<u>nphoma</u>		
Male	0.13	0	NC*	Male	2.10	2	NC*
Female	18.17	22	121	Female	2.25	0	NC*
Total	18.30	22	120	Total	4.35	2	NC*
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	1.64	1	NC*
Female	0.86	3	NC*	Female	0.94	2	NC*
				Total	2.57	3	NC*
Colon / Rectum				<u>Ovary</u>			
Male	6.79	4	NC*				
Female	8.07	5	62	Female	2.08	4	NC*
Total	14.87	9	61				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	0.99	0	NC*	Male	1.20	0	NC*
Female	0.38	0	NC*	Female	1.57	1	NC*
Total	1.37	0	NC*	Total	2.77	1	NC*
Hodgkin's Disease (H	lodgkin Lympho	<u>ma)</u>		<b>Prostate</b>			
Male	0.32	1	NC*	Male	17.48	25	143
Female	0.30	0	NC*				
Total	0.62	1	NC*				
Kidney & Renal Pelvi	s			<b>Stomach</b>			
Male	1.60	2	NC*	Male	1.17	1	NC*
Female	1.12	0	NC*	Female	0.88	1	NC*
Total	2.73	2	NC*	Total	2.05	2	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	0.88	0	NC*	Male	0.44	0	NC*
Female	0.25	0	NC*				
Total	1.13	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	1.29	4	NC*	Male	0.33	0	NC*
Female	1.21	1	NC*	Female	0.97	1	NC*
Total	2.51	5	199	Total	1.30	1	NC*
Liver and Intrahepati				Uteri, Corpus and U	terus, NOS		
Male	0.69	1	NC*	•			
Female	0.34	0	NC*	Female	3.49	4	NC*
Total	1.03	1	NC*				
Lung and Bronchus				All Sites / Types			
Male	8.68	6	69	Male	55.22	64	116
Female	8.25	8	97	Female	59.82	59	99
Total	16.93	14	83	Total	115.05	123	107

**Tolland**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	0.26	0	NC*	Male	0.18	0	NC*
Female	0.06	0	NC*	Female	0.10	0	NC*
Total	0.32	0	NC*	Total	0.29	0	NC*
Brain and Other Nervo	ous System			Multiple Myeloma			
Male	0.08	0	NC*	Male	0.05	0	NC*
Female	0.05	0	NC*	Female	0.03	0	NC*
Total	0.13	0	NC*	Total	0.09	0	NC*
<u>Breast</u>				Non-Hodgkin('s) Lym	<u>phoma</u>		
Male	0.01	0	NC*	Male	0.20	1	NC*
Female	1.23	0	NC*	Female	0.13	0	NC*
Total	1.24	0	NC*	Total	0.34	1	NC*
Cervix Uteri				Oral Cavity & Pharyn	<u>x</u>		
				Male	0.17	0	NC*
Female	0.06	0	NC*	Female	0.06	0	NC*
				Total	0.23	0	NC*
Colon / Rectum				<u>Ovary</u>			
Male	0.65	0	NC*				
Female	0.42	3	NC*	Female	0.14	0	NC*
Total	1.07	3	NC*				
<u>Esophagus</u>				<u>Pancreas</u>			
Male	0.10	0	NC*	Male	0.12	0	NC*
Female	0.02	0	NC*	Female	0.08	0	NC*
Total	0.12	0	NC*	Total	0.20	0	NC*
Hodgkin's Disease (Ho		<u>ma)</u>		<u>Prostate</u>			
Male	0.03	1	NC*	Male	1.80	2	NC*
Female	0.02	0	NC*				
Total	0.05	1	NC*				
Kidney & Renal Pelvis	=			<u>Stomach</u>			
Male	0.16	1	NC*	Male	0.11	0	NC*
Female	0.07	0	NC*	Female	0.04	0	NC*
Total	0.23	1	NC*	Total	0.16	0	NC*
<u>Larynx</u>				<u>Testis</u>		_	
Male	0.09	0	NC*	Male	0.04	0	NC*
Female	0.02	0	NC*				
Total	0.11	0	NC*				
<u>Leukemia</u>	0.40	•	Not	<u>Thyroid</u>	0.00	•	1104
Male	0.12	0	NC*	Male	0.03	0	NC*
Female	0.08	0	NC*	Female	0.08	0	NC*
Total	0.20	0	NC*	Total	0.11	0	NC*
Liver and Intrahepatic		•	NOt	Uteri, Corpus and Ute	erus, NOS		
Male	0.07	0	NC*	FI-	0.04	^	NO*
Female	0.02	0	NC*	Female	0.24	0	NC*
Total	0.09	0	NC*	All Cites / Times			
Lung and Bronchus	0.06	0	NC*	All Sites / Types	E 40	G	100
Male	0.86	0	NC*	Male	5.49	6	109 NC*
Female	0.50	0	NC*	Female	3.72	3	NC*
Total	1.36	0	NC*	Total	9.21	9	98

**Topsfield**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	Ехр	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	5.17	2	NC*	Male	3.53	10	283 ~+
Female	1.99	1	NC*	Female	2.68	5	186
Total	7.16	3	NC*	Total	6.21	15	241 ~+
Brain and Other Nerv	<u> </u>			Multiple Myeloma			
Male	1.54	1	NC*	Male	1.05	0	NC*
Female	1.28	3	NC*	Female	0.98	2	NC*
Total	2.82	4	NC*	Total	2.03	2	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyr			
Male	0.25	0	NC*	Male	4.00	2	NC*
Female	32.12	21	65 #-	Female	3.70	4	NC*
Total	32.37	21	65 #-	Total	7.70	6	78
Cervix Uteri				Oral Cavity & Phary	<del></del>		
				Male	3.23	1	NC*
Female	1.52	1	NC*	Female	1.61	2	NC*
				Total	4.84	3	NC*
Colon / Rectum				<u>Ovary</u>			
Male	12.95	5	39 #-				
Female	13.02	12	92	Female	3.64	3	NC*
Total	25.97	17	65				
Esophagus				<u>Pancreas</u>			
Male	1.92	0	NC*	Male	2.31	0	NC*
Female	0.62	0	NC*	Female	2.53	2	NC*
Total	2.53	0	NC*	Total	4.84	2	NC*
Hodgkin's Disease (H	lodgkin Lympho	<u>ma)</u>		<b>Prostate</b>			
Male	0.60	0	NC*	Male	33.85	26	77
Female	0.50	0	NC*				
Total	1.10	0	NC*				
Kidney & Renal Pelvi	<u>s</u>			<b>Stomach</b>			
Male	3.08	1	NC*	Male	2.26	3	NC*
Female	1.91	2	NC*	Female	1.45	1	NC*
Total	4.99	3	NC*	Total	3.70	4	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	1.71	1	NC*	Male	0.80	1	NC*
Female	0.43	0	NC*				
Total	2.15	1	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	2.45	2	NC*	Male	0.64	0	NC*
Female	2.07	2	NC*	Female	1.73	1	NC*
Total	4.52	4	NC*	Total	2.37	1	NC*
Liver and Intrahepation				Uteri, Corpus and U			
Male	1.33	0	NC*	<u></u>	<u></u>		
Female	0.55	0	NC*	Female	6.20	11	177
Total	1.88	0	NC*	Tomaio	0.20	• • •	
Lung and Bronchus	1.00	•	110	All Sites / Types			
Male	16.52	12	73	Male	105.97	70	66 ^-
Female	13.67	11	80	Female	101.82	87	85
Total	30.19	23	76	Total	207.79	157	76 ^-
i Otai	00.13	20	70	i Ulai	201.13	137	10 -

## **Townsend**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	3.94	6	152	Male	3.56	3	NC*
Female	1.39	1	NC*	Female	2.87	2	NC*
Total	5.34	7	131	Total	6.43	5	78
<b>Brain and Other Nerv</b>	ous System			Multiple Myeloma			
Male	1.72	4	NC*	Male	0.88	0	NC*
Female	1.37	1	NC*	Female	0.75	3	NC*
Total	3.09	5	162	Total	1.64	3	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyr	mphoma		
Male	0.21	0	NC*	Male	3.87	0	NC*
Female	30.95	31	100	Female	3.15	3	NC*
Total	31.16	31	99	Total	7.01	3	NC*
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	3.27	2	NC*
Female	1.90	0	NC*	Female	1.41	4	NC*
				Total	4.68	6	128
Colon / Rectum				<u>Ovary</u>			
Male	10.17	5	49				
Female	9.09	7	77	Female	3.59	7	195
Total	19.26	12	62				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	1.68	0	NC*	Male	1.92	1	NC*
Female	0.43	0	NC*	Female	1.74	1	NC*
Total	2.11	0	NC*	Total	3.66	2	NC*
Hodgkin's Disease (H	lodgkin Lympho	<u>ma)</u>		<u>Prostate</u>			
Male	0.85	0	NC*	Male	28.14	35	124
Female	0.73	0	NC*				
Total	1.58	0	NC*				
Kidney & Renal Pelvi	<u>s</u>			<b>Stomach</b>			
Male	2.93	7	239	Male	1.83	1	NC*
Female	1.68	0	NC*	Female	0.98	1	NC*
Total	4.61	7	152	Total	2.82	2	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	1.60	0	NC*	Male	1.32	0	NC*
Female	0.39	0	NC*				
Total	1.99	0	NC*				
<u>Leukemia</u>				<b>Thyroid</b>			
Male	2.39	1	NC*	Male	0.80	1	NC*
Female	1.85	0	NC*	Female	2.42	5	207
Total	4.23	1	NC*	Total	3.21	6	187
Liver and Intrahepation	c Bile Ducts			Uteri, Corpus and U	terus, NOS		
Male	1.27	1	NC*				
Female	0.41	0	NC*	Female	5.81	9	155
Total	1.67	1	NC*				
Lung and Bronchus				All Sites / Types			
Male	13.36	8	60	Male	91.70	76	83
Female	11.16	8	72	Female	90.00	90	100
Total	24.53	16	65	Total	181.70	166	91

**Truro**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	2.05	4	NC*	Male	1.27	0	NC*
Female	0.59	1	NC*	Female	0.79	2	NC*
Total	2.64	5	189	Total	2.05	2	NC*
<b>Brain and Other Nervo</b>	us System			Multiple Myeloma			
Male	0.52	2	NC*	Male	0.40	0	NC*
Female	0.38	1	NC*	Female	0.30	0	NC*
Total	0.90	3	NC*	Total	0.70	0	NC*
<u>Breast</u>				Non-Hodgkin('s) Lym	<u>ıphoma</u>		
Male	0.09	0	NC*	Male	1.47	1	NC*
Female	9.65	19	197 #+	Female	1.14	1	NC*
Total	9.75	19	195 #+	Total	2.61	2	NC*
Cervix Uteri				Oral Cavity & Pharyn	<u>ix</u>		
				Male	1.12	2	NC*
Female	0.44	0	NC*	Female	0.48	0	NC*
				Total	1.61	2	NC*
Colon / Rectum				<u>Ovary</u>			
Male	5.05	5	99				
Female	3.89	4	NC*	Female	1.09	1	NC*
Total	8.93	9	101				
<u>Esophagus</u>				<u>Pancreas</u>			
Male	0.70	0	NC*	Male	0.88	1	NC*
Female	0.18	0	NC*	Female	0.76	4	NC*
Total	0.89	0	NC*	Total	1.65	5	304
Hodgkin's Disease (Ho	odgkin Lympho	<u>ma)</u>		<u>Prostate</u>			
Male	0.18	0	NC*	Male	12.42	14	113
Female	0.14	2	NC*				
Total	0.32	2	NC*				
Kidney & Renal Pelvis				<u>Stomach</u>			
Male	1.12	0	NC*	Male	0.88	0	NC*
Female	0.59	1	NC*	Female	0.41	0	NC*
Total	1.71	1	NC*	Total	1.28	0	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	0.61	0	NC*	Male	0.23	0	NC*
Female	0.14	0	NC*				
Total	0.75	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	0.90	1	NC*	Male	0.21	0	NC*
Female	0.58	0	NC*	Female	0.50	0	NC*
Total	1.49	1	NC*	Total	0.70	0	NC*
Liver and Intrahepatic	Bile Ducts			Uteri, Corpus and Ut	erus, NOS		
Male	0.48	0	NC*				
Female	0.17	0	NC*	Female	1.90	4	NC*
Total	0.65	0	NC*				
Lung and Bronchus				All Sites / Types			
Male	6.28	6	96	Male	39.46	42	106
Female	4.38	3	NC*	Female	30.70	45	147 #+
Total	10.66	9	84	Total	70.16	87	124

# Tyngsborough Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	4.21	3	NC*	Male	3.77	2	NC*
Female	1.49	1	NC*	Female	3.01	4	NC*
Total	5.70	4	NC*	Total	6.78	6	89
<b>Brain and Other Nerv</b>	ous System			Multiple Myeloma			
Male	1.87	3	NC*	Male	0.94	0	NC*
Female	1.45	1	NC*	Female	0.80	0	NC*
Total	3.32	4	NC*	Total	1.74	0	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyr	nphoma		
Male	0.23	0	NC*	Male	4.11	2	NC*
Female	32.41	27	83	Female	3.36	9	268 #+
Total	32.64	27	83	Total	7.47	11	147
Cervix Uteri				Oral Cavity & Pharys	<u>nx</u>		
				Male	3.44	5	145
Female	1.98	1	NC*	Female	1.49	1	NC*
				Total	4.92	6	122
Colon / Rectum				<u>Ovary</u>			
Male	10.91	10	92	-			
Female	9.67	12	124	Female	3.77	7	186
Total	20.58	22	107				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	1.80	2	NC*	Male	2.04	0	NC*
Female	0.46	0	NC*	Female	1.87	1	NC*
Total	2.26	2	NC*	Total	3.91	1	NC*
Hodgkin's Disease (H	lodgkin Lymphoi	ma)		<u>Prostate</u>			
Male	0.93	 1	NC*	Male	30.96	30	97
Female	0.77	0	NC*				
Total	1.70	1	NC*				
Kidney & Renal Pelvi	s			Stomach			
Male	_ 3.12	2	NC*	Male	1.92	4	NC*
Female	1.78	1	NC*	Female	1.04	0	NC*
Total	4.90	3	NC*	Total	2.96	4	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	1.72	3	NC*	Male	1.45	1	NC*
Female	0.41	2	NC*				
Total	2.13	5	235				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	2.56	2	NC*	Male	0.85	2	NC*
Female	1.96	3	NC*	Female	2.53	3	NC*
Total	4.51	5	111	Total	3.38	5	148
Liver and Intrahepation	c Bile Ducts			Uteri, Corpus and Ut	terus, NOS		
Male	1.35	2	NC*				
Female	0.43	2	NC*	Female	6.09	4	NC*
Total	1.78	4	NC*				
Lung and Bronchus				All Sites / Types			
Male	14.65	15	102	Male	99.19	95	96
Female	11.98	12	100	Female	95.03	92	97
Total	26.63	27	101	Total	194.22	187	96

Tyringham
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	0.47	0	NC*	Male	0.30	0	NC*
Female	0.11	0	NC*	Female	0.16	0	NC*
Total	0.58	0	NC*	Total	0.47	0	NC*
<b>Brain and Other Nerv</b>	ous System			Multiple Myeloma			
Male	0.13	0	NC*	Male	0.09	0	NC*
Female	0.08	0	NC*	Female	0.06	0	NC*
Total	0.20	0	NC*	Total	0.15	0	NC*
<u>Breast</u>				Non-Hodgkin('s) Lym	<u>ıphoma</u>		
Male	0.02	0	NC*	Male	0.35	0	NC*
Female	2.08	0	NC*	Female	0.22	0	NC*
Total	2.10	0	NC*	Total	0.57	0	NC*
Cervix Uteri				Oral Cavity & Pharyn	<u>x</u>		
				Male	0.29	0	NC*
Female	0.09	0	NC*	Female	0.10	0	NC*
				Total	0.39	0	NC*
Colon / Rectum				<u>Ovary</u>			
Male	1.18	1	NC*				
Female	0.73	0	NC*	Female	0.23	0	NC*
Total	1.91	1	NC*				
Esophagus Page 1				<u>Pancreas</u>			
Male	0.17	0	NC*	Male	0.21	0	NC*
Female	0.03	0	NC*	Female	0.14	0	NC*
Total	0.21	0	NC*	Total	0.35	0	NC*
Hodgkin's Disease (H	lodgkin Lympho	oma)		<u>Prostate</u>			
Male	0.04	0	NC*	Male	3.13	3	NC*
Female	0.03	0	NC*				
Total	0.07	0	NC*				
Kidney & Renal Pelvi	<u>s</u>			<b>Stomach</b>			
Male	0.27	0	NC*	Male	0.21	0	NC*
Female	0.12	0	NC*	Female	0.08	0	NC*
Total	0.39	0	NC*	Total	0.28	0	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	0.15	0	NC*	Male	0.04	0	NC*
Female	0.03	0	NC*				
Total	0.18	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	0.21	0	NC*	Male	0.05	0	NC*
Female	0.11	0	NC*	Female	0.11	0	NC*
Total	0.32	0	NC*	Total	0.16	0	NC*
Liver and Intrahepation	c Bile Ducts			Uteri, Corpus and Ut	erus, NOS		
Male	0.12	0	NC*				
Female	0.03	0	NC*	Female	0.42	0	NC*
Total	0.15	0	NC*				
<b>Lung and Bronchus</b>				All Sites / Types			
Male	1.50	0	NC*	Male	9.54	5	52
Female	0.89	0	NC*	Female	6.28	1	NC*
Total	2.39	0	NC*	Total	15.82	6	38 ~-

**Upton**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	3.04	1	NC*	Male	2.38	3	NC*
Female	1.13	0	NC*	Female	1.80	2	NC*
Total	4.16	1	NC*	Total	4.18	5	120
<b>Brain and Other Nerv</b>	ous System			Multiple Myeloma			
Male	1.10	2	NC*	Male	0.65	0	NC*
Female	0.89	2	NC*	Female	0.57	1	NC*
Total	1.99	4	NC*	Total	1.22	1	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyr	mphoma		
Male	0.16	0	NC*	Male	2.63	1	NC*
Female	20.32	20	98	Female	2.29	1	NC*
Total	20.48	20	98	Total	4.92	2	NC*
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	2.18	3	NC*
Female	1.11	0	NC*	Female	0.98	1	NC*
				Total	3.16	4	NC*
Colon / Rectum				<u>Ovary</u>			
Male	7.74	8	103	<del></del> -			
Female	7.39	14	189 #+	Female	2.34	2	NC*
Total	15.13	22	145				
<u>Esophagus</u>				<u>Pancreas</u>			
Male	1.21	1	NC*	Male	1.41	1	NC*
Female	0.35	0	NC*	Female	1.43	0	NC*
Total	1.56	1	NC*	Total	2.84	1	NC*
Hodgkin's Disease (H		•		<u>Prostate</u>		•	
Male	0.49	<del></del>	NC*	Male	21.22	16	75
Female	0.41	1	NC*				. •
Total	0.90	2	NC*				
Kidney & Renal Pelvi		_	110	Stomach			
Male	<u>s</u> 2.03	1	NC*	Male	1.35	2	NC*
Female	1.18	1	NC*	Female	0.80	1	NC*
Total	3.21	2	NC*	Total	2.14	3	NC*
<u>Larynx</u>	J.Z I	2	140	<u>Testis</u>	۷. ۱۳	3	NO
Male	1.12	0	NC*	Male	0.72	1	NC*
Female	0.27	0	NC*	iviaic	0.72	1	NO
Total	1.39	0	NC*				
	1.55	U	NC	Thursid			
<u>Leukemia</u> Male	1.62	1	NC*	<u>Thyroid</u> Male	0.48	0	NC*
Female	1.30	1 2	NC*	Female	1.34	1	NC*
Total	2.92	2	NC*	Total	1.83	1	NC*
Liver and Intrahepation		٥	NOt	Uteri, Corpus and U	terus, NOS		
Male	0.88	0	NC*		0.07	0	NO*
Female	0.32	1	NC*	Female	3.87	2	NC*
Total	1.20	1	NC*				
Lung and Bronchus	40.00	-	22	All Sites / Types	00.05	50	70
Male 	10.20	7	69	Male	66.85	52	78
Female	8.29	8	97	Female	62.85	61	97
Total	18.48	15	81	Total	129.70	113	87

**Uxbridge**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	6.90	7	101	Male	5.16	2	NC*
Female	2.62	2	NC*	Female	4.18	0	NC*
Total	9.53	9	94	Total	9.33	2	NC*
Brain and Other Nerv	vous System			Multiple Myeloma			
Male	2.40	3	NC*	Male	1.43	1	NC*
Female	2.04	4	NC*	Female	1.31	1	NC*
Total	4.44	7	158	Total	2.74	2	NC*
<u>Breast</u>				Non-Hodgkin('s) Ly			
Male	0.35	0	NC*	Male	5.84	8	137
Female	45.79	34	74	Female	5.29	2	NC*
Total	46.13	34	74	Total	11.13	10	90
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	4.57	5	109
Female	2.59	2	NC*	Female	2.24	2	NC*
				Total	6.80	7	103
Colon / Rectum				<u>Ovary</u>			
Male	17.41	11	63				
Female	17.16	20	117	Female	5.34	5	94
Total	34.57	31	90				
Esophagus Page 1997				<u>Pancreas</u>			
Male	2.60	1	NC*	Male	3.13	2	NC*
Female	0.81	0	NC*	Female	3.33	6	180
Total	3.41	1	NC*	Total	6.46	8	124
Hodgkin's Disease (F	<u> Hodgkin Lympho</u>	<u>ma)</u>		<u>Prostate</u>			
Male	1.11	0	NC*	Male	45.15	38	84
Female	1.00	0	NC*				
Total	2.12	0	NC*				
Kidney & Renal Pelv	<u>is</u>			<u>Stomach</u>			
Male	4.35	4	NC*	Male	3.05	4	NC*
Female	2.69	1	NC*	Female	1.88	3	NC*
Total	7.04	5	71	Total	4.93	7	142
<u>Larynx</u>				<u>Testis</u>			
Male	2.35	0	NC*	Male	1.73	3	NC*
Female	0.60	1	NC*				
Total	2.95	1	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	3.61	6	166	Male	1.05	0	NC*
Female	2.98	1	NC*	Female	3.19	2	NC*
Total	6.60	7	106	Total	4.24	2	NC*
Liver and Intrahepati				Uteri, Corpus and U	terus, NOS		
Male	1.87	1	NC*				
Female	0.74	0	NC*	Female	8.60	10	116
Total	2.61	1	NC*				
<b>Lung and Bronchus</b>				All Sites / Types			
Male	22.25	28	126	Male	145.97	138	95
Female	18.79	20	106	Female	143.56	125	87
Total	41.05	48	117	Total	289.54	263	91

**Wakefield**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		Exp	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	17.16	19	111	Male	12.04	20	166 #+
Female	7.39	2	NC*	Female	10.02	13	130
Total	24.54	21	86	Total	22.06	33	150 #+
<b>Brain and Other Ner</b>	vous System			Multiple Myeloma			
Male	5.40	4	NC*	Male	3.49	1	NC*
Female	4.89	6	123	Female	3.57	1	NC*
Total	10.29	10	97	Total	7.07	2	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyı	nphoma		
Male	0.84	1	NC*	Male	13.77	15	109
Female	114.33	122	107	Female	13.99	12	86
Total	115.17	123	107	Total	27.76	27	97
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	10.59	9	85
Female	5.86	9	154	Female	5.81	4	NC*
				Total	16.40	13	79
Colon / Rectum				<u>Ovary</u>			
Male	43.02	29	67 #-				
Female	48.60	43	88	Female	13.23	15	113
Total	91.63	72	79 #-				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	6.27	7	112	Male	7.63	8	105
Female	2.29	4	NC*	Female	9.45	10	106
Total	8.55	11	129	Total	17.08	18	105
Hodgkin's Disease (I	Hodgkin Lympho	<u>ma)</u>		<b>Prostate</b>			
Male	2.39	1	NC*	Male	110.30	112	102
Female	2.15	4	NC*				
Total	4.54	5	110				
Kidney & Renal Pelv	<u>'is</u>			<b>Stomach</b>			
Male	10.28	10	97	Male	7.46	2	NC*
Female	6.99	6	86	Female	5.30	6	113
Total	17.27	16	93	Total	12.76	8	63
<u>Larynx</u>				<u>Testis</u>			
Male	5.59	2	NC*	Male	3.70	7	189
Female	1.55	1	NC*				
Total	7.14	3	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	8.43	12	142	Male	2.32	4	NC*
Female	7.57	10	132	Female	6.88	9	131
Total	16.00	22	137	Total	9.20	13	141
Liver and Intrahepat	ic Bile Ducts			Uteri, Corpus and U	terus, NOS		
Male	4.42	2	NC*				
Female	2.06	2	NC*	Female	21.70	21	97
Total	6.48	4	NC*				
<b>Lung and Bronchus</b>				All Sites / Types			
Male	54.82	52	95	Male	353.14	344	97
Female	50.58	40	79	Female	372.30	367	99
Total	105.41	92	87	Total	725.45	711	98

Wales
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		Exp	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	0.82	1	NC*	Male	0.71	2	NC*
Female	0.24	2	NC*	Female	0.53	1	NC*
Total	1.06	3	NC*	Total	1.24	3	NC*
<b>Brain and Other Nervo</b>	us System			Multiple Myeloma			
Male	0.33	0	NC*	Male	0.18	1	NC*
Female	0.25	2	NC*	Female	0.14	1	NC*
Total	0.58	2	NC*	Total	0.32	2	NC*
<u>Breast</u>				Non-Hodgkin('s) Lym	<u>ıphoma</u>		
Male	0.05	0	NC*	Male	0.77	0	NC*
Female	5.74	1	NC*	Female	0.57	1	NC*
Total	5.79	1	NC*	Total	1.34	1	NC*
Cervix Uteri				Oral Cavity & Pharyn	x		
				Male	0.65	0	NC*
Female	0.35	0	NC*	Female	0.26	1	NC*
				Total	0.91	1	NC*
Colon / Rectum				<u>Ovary</u>			
Male	2.10	2	NC*	<del></del> -			
Female	1.59	1	NC*	Female	0.66	1	NC*
Total	3.69	3	NC*				
<u>Esophagus</u>				<u>Pancreas</u>			
Male	0.34	2	NC*	Male	0.39	0	NC*
Female	0.08	0	NC*	Female	0.31	0	NC*
Total	0.42	2	NC*	Total	0.70	0	NC*
Hodgkin's Disease (Ho			110	Prostate	0.70	v	110
Male	0.16	<u>,</u> 0	NC*	Male	5.84	7	120
Female	0.13	0	NC*	maio	0.01	,	120
Total	0.29	0	NC*				
Kidney & Renal Pelvis		ŭ	110	Stomach_			
Male	0.60	1	NC*	<u>otomaon</u> Male	0.37	2	NC*
Female	0.31	1	NC*	Female	0.17	3	NC*
Total	0.91	2	NC*	Total	0.54	5	933 ^+
<u>Larynx</u>	0.01	_	110	<u>Testis</u>	0.01	Ü	000
Male	0.33	1	NC*	Male	0.24	0	NC*
Female	0.07	0	NC*	Wate	0.24	U	110
Total	0.40	1	NC*				
<u>Leukemia</u>	0.40	•	140	<u>Thyroid</u>			
Male	0.47	0	NC*	Male	0.15	0	NC*
Female	0.33	0	NC*	Female	0.45	0	NC*
Total	0.80	0	NC*	Total	0.43	0	NC*
Liver and Intrahepatic		U	NO	Uteri, Corpus and Ute		U	NO
Male	0.26	0	NC*	oten, corpus and ot	erus, NOS		
Female	0.20	0	NC*	Female	1.09	0	NC*
Total	0.07	0	NC*	Female	1.03	U	NO
	0.33	U	INC	All Sites / Tunes			
Lung and Bronchus Male	2.80	6	214	<u>All Sites / Types</u> Male	18.74	26	139
			214 NC*				
Female	2.09	4		Female	16.47 25.21	20 46	121 121
Total	4.89	10	205	Total	35.21	46	131

Walpole
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	14.04	18	128	Male	10.92	19	174 #+
Female	4.65	7	151	Female	7.68	9	117
Total	18.69	25	134	Total	18.60	28	151 #+
<b>Brain and Other Nerv</b>	ous System			Multiple Myeloma			
Male	5.05	8	158	Male	2.98	1	NC*
Female	3.72	4	NC*	Female	2.41	6	249
Total	8.78	12	137	Total	5.39	7	130
<u>Breast</u>				Non-Hodgkin('s) Lyi	mphoma_		
Male	0.74	1	NC*	Male	12.20	13	107
Female	87.39	107	122 #+	Female	9.70	10	103
Total	88.13	108	123 #+	Total	21.90	23	105
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	9.69	10	103
Female	4.76	5	105	Female	4.19	8	191
				Total	13.88	18	130
Colon / Rectum				<u>Ovary</u>			
Male	35.84	48	134				
Female	30.02	35	117	Female	10.10	10	99
Total	65.86	83	126 #+				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	5.52	8	145	Male	6.46	5	77
Female	1.43	2	NC*	Female	5.91	7	118
Total	6.95	10	144	Total	12.37	12	97
Hodgkin's Disease (H	lodgkin Lympho	<u>ma)</u>		<b>Prostate</b>			
Male	2.41	2	NC*	Male	97.47	112	115
Female	1.75	3	NC*				
Total	4.17	5	120				
Kidney & Renal Pelvi	<u>s</u>			<b>Stomach</b>			
Male	9.17	6	65	Male	6.16	5	81
Female	5.12	6	117	Female	3.18	3	NC*
Total	14.29	12	84	Total	9.34	8	86
<u>Larynx</u>				<u>Testis</u>			
Male	5.07	2	NC*	Male	3.92	2	NC*
Female	1.21	3	NC*				
Total	6.27	5	80				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	7.37	6	81	Male	2.29	4	NC*
Female	5.25	10	191	Female	5.80	5	86
Total	12.62	16	127	Total	8.09	9	111
Liver and Intrahepation	c Bile Ducts			Uteri, Corpus and U	terus, NOS		
Male	3.97	4	NC*				
Female	1.32	0	NC*	Female	16.82	18	107
Total	5.29	4	NC*				
<b>Lung and Bronchus</b>				All Sites / Types			
Male	47.34	52	110	Male	308.34	357	116 ~+
Female	36.33	40	110	Female	266.85	316	118 ~+
Total	83.67	92	110	Total	575.19	673	117 ^+

**Waltham**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	33.77	33	98	Male	25.03	22	88
Female	14.60	5	34 ~-	Female	21.47	10	47 ~-
Total	48.37	38	79	Total	46.50	32	69 #-
Brain and Other Ner				Multiple Myeloma			
Male	11.59	16	138	Male	6.88	7	102
Female	10.28	12	117	Female	7.05	10	142
Total	21.87	28	128	Total	13.93	17	122
<u>Breast</u>				Non-Hodgkin('s) Ly			
Male	1.69	4	NC*	Male	28.73	25	87
Female	231.50	226	98	Female	28.39	15	53 ~-
Total	233.20	230	99	Total	57.13	40	70 #-
Cervix Uteri				Oral Cavity & Phary			
				Male	21.18	27	127
Female	13.22	10	76	Female	11.64	9	77
				Total	32.82	36	110
Colon / Rectum				<u>Ovary</u>			
Male	85.19	81	95				
Female	95.66	81	85	Female	27.28	33	121
Total	180.85	162	90				
Esophagus				<u>Pancreas</u>			
Male	12.33	15	122	Male	15.05	12	80
Female	4.50	5	111	Female	18.61	13	70
Total	16.83	20	119	Total	33.67	25	74
Hodgkin's Disease (I	<u> Hodgkin Lympho</u>	<u>ma)</u>		<u>Prostate</u>			
Male	5.98	4	NC*	Male	215.87	216	100
Female	5.17	4	NC*				
Total	11.15	8	72				
Kidney & Renal Pelv	<u>is</u>			<u>Stomach</u>			
Male	20.57	15	73	Male	14.74	18	122
Female	14.04	15	107	Female	10.56	8	76
Total	34.61	30	87	Total	25.31	26	103
<u>Larynx</u>				<u>Testis</u>			
Male	11.01	8	73	Male	10.46	11	105
Female	3.05	2	NC*				
Total	14.07	10	71				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	17.36	13	75	Male	5.31	8	151
Female	15.40	11	71	Female	16.18	20	124
Total	32.76	24	73	Total	21.49	28	130
Liver and Intrahepat	ic Bile Ducts			Uteri, Corpus and L	Iterus, NOS		
Male	8.82	10	113				
Female	4.08	8	196	Female	42.97	48	112
Total	12.90	18	140				
Lung and Bronchus				All Sites / Types			
Male	108.35	107	99	Male	707.60	710	100
Female	99.76	114	114	Female	751.66	722	96
Total	208.11	221	106	Total	1459.27	1432	98

Ware
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	5.97	6	101	Male	4.36	4	NC*
Female	2.76	1	NC*	Female	3.76	2	NC*
Total	8.73	7	80	Total	8.12	6	74
<b>Brain and Other Nerv</b>	ous System			Multiple Myeloma			
Male	2.00	1	NC*	Male	1.24	2	NC*
Female	1.87	2	NC*	Female	1.33	3	NC*
Total	3.87	3	NC*	Total	2.58	5	194
<u>Breast</u>				Non-Hodgkin('s) Lyr	mphoma_		
Male	0.30	0	NC*	Male	4.95	5	101
Female	42.56	37	87	Female	5.28	2	NC*
Total	42.87	37	86	Total	10.23	7	68
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	3.81	4	NC*
Female	2.21	4	NC*	Female	2.17	3	NC*
				Total	5.98	7	117
Colon / Rectum				<u>Ovary</u>			
Male	15.03	19	126	<del></del>			
Female	18.20	21	115	Female	4.95	4	NC*
Total	33.23	40	120				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	2.22	2	NC*	Male	2.68	1	NC*
Female	0.85	0	NC*	Female	3.54	2	NC*
Total	3.08	2	NC*	Total	6.21	3	NC*
Hodgkin's Disease (H	lodgkin Lympho	ma)		<u>Prostate</u>			
Male	0.91	0	NC*	Male	39.01	38	97
Female	0.84	1	NC*				
Total	1.75	1	NC*				
Kidney & Renal Pelvi				Stomach .			
Male	3.71	5	135	Male	2.59	2	NC*
Female	2.62	3	NC*	Female	1.97	2	NC*
Total	6.33	8	126	Total	4.55	4	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	2.01	4	NC*	Male	1.44	1	NC*
Female	0.58	0	NC*				
Total	2.58	4	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	3.05	2	NC*	Male	0.86	4	NC*
Female	2.86	4	NC*	Female	2.61	2	NC*
Total	5.92	6	101	Total	3.48	6	172
Liver and Intrahepation				Uteri, Corpus and U			
Male	1.59	1	NC*		<u> </u>		
Female	0.77	2	NC*	Female	8.06	15	186 #+
Total	2.37	3	NC*				
Lung and Bronchus	-	-	-	All Sites / Types			
Male	19.42	23	118	Male	125.38	133	106
Female	18.99	15	79	Female	139.30	141	101
Total	38.41	38	99	Total	264.68	274	104
. 5.5.				. • • • • • • • • • • • • • • • • • • •		<b></b> .	

Wareham
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		Exp	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	14.20	19	134	Male	9.63	9	93
Female	5.70	5	88	Female	7.89	8	101
Total	19.89	24	121	Total	17.51	17	97
<b>Brain and Other Nerv</b>	ous System			Multiple Myeloma			
Male	4.35	8	184	Male	2.83	2	NC*
Female	3.89	7	180	Female	2.77	2	NC*
Total	8.24	15	182 #+	Total	5.60	4	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyı	mphoma		
Male	0.67	2	NC*	Male	11.14	9	81
Female	89.49	84	94	Female	10.90	6	55
Total	90.16	86	95	Total	22.04	15	68
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	8.45	10	118
Female	4.65	7	151	Female	4.53	9	199
				Total	12.97	19	146
Colon / Rectum				<u>Ovary</u>			
Male	35.41	40	113				
Female	37.44	42	112	Female	10.38	14	135
Total	72.85	82	113				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	5.05	8	158	Male	6.25	9	144
Female	1.76	2	NC*	Female	7.28	7	96
Total	6.81	10	147	Total	13.53	16	118
Hodgkin's Disease (H	lodgkin Lympho	<u>ma)</u>		<u>Prostate</u>			
Male	1.89	1	NC*	Male	88.63	104	117
Female	1.74	0	NC*				
Total	3.63	1	NC*				
Kidney & Renal Pelvi	<u>s</u>			Stomach .			
Male	8.23	17	207 #+	Male	6.18	6	97
Female	5.46	6	110	Female	4.08	4	NC*
Total	13.69	23	168 #+	Total	10.26	10	97
<u>Larynx</u>				<u>Testis</u>			
Male	4.45	10	225 #+	Male	2.87	1	NC*
Female	1.21	2	NC*				
Total	5.66	12	212 #+				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	6.93	6	87	Male	1.82	2	NC*
Female	5.96	7	118	Female	5.50	5	91
Total	12.89	13	101	Total	7.32	7	96
Liver and Intrahepation				Uteri, Corpus and U			
Male	3.53	0	NC*	<del></del>	<u> </u>		
Female	1.59	3	NC*	Female	16.97	15	88
Total	5.13	3	NC*				
Lung and Bronchus				All Sites / Types			
Male	44.31	67	151 ~+	Male	285.95	348	122 ^+
Female	39.33	60	153 ~+	Female	290.29	322	111
Total	83.64	127	152 ^+	Total	576.24	670	116 ^+
. 3.0.	- = - = -		*=	. 5.5	· ········	- · •	

**Warren**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		Exp	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	2.91	5	172	Male	2.13	2	NC*
Female	1.07	0	NC*	Female	1.64	2	NC*
Total	3.97	5	126	Total	3.77	4	NC*
<b>Brain and Other Nerv</b>	ous System			Multiple Myeloma			
Male	0.99	1	NC*	Male	0.60	0	NC*
Female	0.81	1	NC*	Female	0.53	2	NC*
Total	1.80	2	NC*	Total	1.14	2	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyı	mphoma_		
Male	0.15	0	NC*	Male	2.42	1	NC*
Female	18.50	12	65	Female	2.14	2	NC*
Total	18.65	12	64	Total	4.56	3	NC*
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	1.88	1	NC*
Female	1.00	1	NC*	Female	0.91	1	NC*
				Total	2.78	2	NC*
Colon / Rectum				<u>Ovary</u>			
Male	7.34	8	109				
Female	6.94	14	202 #+	Female	2.15	2	NC*
Total	14.28	22	154				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	1.09	2	NC*	Male	1.31	2	NC*
Female	0.33	1	NC*	Female	1.36	1	NC*
Total	1.42	3	NC*	Total	2.67	3	NC*
Hodgkin's Disease (H	lodgkin Lympho	<u>ma)</u>		<u>Prostate</u>			
Male	0.45	0	NC*	Male	19.16	23	120
Female	0.38	0	NC*				
Total	0.83	0	NC*				
Kidney & Renal Pelvi	<u>s</u>			Stomach			
Male	1.81	0	NC*	Male	1.27	4	NC*
Female	1.10	0	NC*	Female	0.75	1	NC*
Total	2.91	0	NC*	Total	2.02	5	248
<u>Larynx</u>				<u>Testis</u>			
Male	0.98	2	NC*	Male	0.71	2	NC*
Female	0.25	1	NC*				
Total	1.23	3	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	1.50	1	NC*	Male	0.43	0	NC*
Female	1.18	3	NC*	Female	1.22	1	NC*
Total	2.68	4	NC*	Total	1.64	1	NC*
Liver and Intrahepation	c Bile Ducts			Uteri, Corpus and U	terus, NOS		
Male	0.78	0	NC*	-			
Female	0.30	0	NC*	Female	3.52	3	NC*
Total	1.08	0	NC*				
Lung and Bronchus				All Sites / Types			
Male	9.46	8	85	Male	61.39	66	108
Female	7.80	4	NC*	Female	58.01	59	102
Total	17.26	12	70	Total	119.40	125	105
			• •		- · · · <del>-</del>		

## **Warwick**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		Exp	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	0.53	1	NC*	Male	0.40	0	NC*
Female	0.15	1	NC*	Female	0.24	0	NC*
Total	0.68	2	NC*	Total	0.64	0	NC*
<b>Brain and Other Nervo</b>	us System			Multiple Myeloma			
Male	0.18	0	NC*	Male	0.11	0	NC*
Female	0.11	0	NC*	Female	0.08	0	NC*
Total	0.29	0	NC*	Total	0.18	0	NC*
<u>Breast</u>				Non-Hodgkin('s) Lym	phoma		
Male	0.03	0	NC*	Male	0.46	0	NC*
Female	2.73	9	330 ~+	Female	0.30	0	NC*
Total	2.75	9	327 ~+	Total	0.76	0	NC*
Cervix Uteri				Oral Cavity & Pharyn	x		
				Male	0.36	0	NC*
Female	0.14	0	NC*	Female	0.13	0	NC*
				Total	0.49	0	NC*
Colon / Rectum				<u>Ovary</u>			
Male	1.32	1	NC*	<del></del> -			
Female	1.00	1	NC*	Female	0.31	0	NC*
Total	2.32	2	NC*				-
<b>Esophagus</b>			-	<u>Pancreas</u>			
Male	0.20	0	NC*	Male	0.24	0	NC*
Female	0.05	0	NC*	Female	0.19	0	NC*
Total	0.24	0	NC*	Total	0.44	0	NC*
Hodgkin's Disease (Ho				Prostate			
Male	0.09	0	NC*	Male	3.28	4	NC*
Female	0.05	0	NC*				-
Total	0.14	0	NC*				
Kidney & Renal Pelvis		•		<u>Stomach</u>			
Male	0.33	0	NC*	Male	0.24	0	NC*
Female	0.16	0	NC*	Female	0.11	0	NC*
Total	0.49	0	NC*	Total	0.35	0	NC*
Larynx	21.12	•		Testis		-	
Male	0.18	0	NC*	Male	0.15	0	NC*
Female	0.04	0	NC*			-	
Total	0.21	0	NC*				
<u>Leukemia</u>		•		<u>Thyroid</u>			
Male	0.27	0	NC*	Male	0.09	0	NC*
Female	0.17	0	NC*	Female	0.17	0	NC*
Total	0.44	0	NC*	Total	0.25	0	NC*
Liver and Intrahepatic		•		Uteri, Corpus and Ute		·	
Male	0.14	0	NC*	<u></u>	<del>,</del>		
Female	0.04	0	NC*	Female	0.52	1	NC*
Total	0.18	0	NC*	i omaio	J.J.	,	
Lung and Bronchus	3	v		All Sites / Types			
Male	1.62	2	NC*	Male	10.95	11	100
Female	1.12	0	NC*	Female	8.42	14	166
Total	2.74	2	NC*	Total	19.37	25	129
i Viui		_	110	iotai		20	125

**Washington**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	0.52	1	NC*	Male	0.32	0	NC*
Female	0.17	0	NC*	Female	0.22	0	NC*
Total	0.68	1	NC*	Total	0.54	0	NC*
Brain and Other Nervo	ous System			Multiple Myeloma			
Male	0.13	0	NC*	Male	0.10	0	NC*
Female	0.11	0	NC*	Female	0.08	0	NC*
Total	0.24	0	NC*	Total	0.18	0	NC*
<u>Breast</u>				Non-Hodgkin('s) Lym	<u>phoma</u>		
Male	0.02	0	NC*	Male	0.37	0	NC*
Female	2.57	2	NC*	Female	0.30	0	NC*
Total	2.59	2	NC*	Total	0.67	0	NC*
Cervix Uteri				Oral Cavity & Pharyn	<u>x</u>		
				Male	0.28	0	NC*
Female	0.13	0	NC*	Female	0.13	0	NC*
				Total	0.41	0	NC*
Colon / Rectum				<u>Ovary</u>			
Male	1.26	0	NC*	<del></del>			
Female	1.10	1	NC*	Female	0.29	1	NC*
Total	2.36	1	NC*				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	0.17	0	NC*	Male	0.22	0	NC*
Female	0.05	0	NC*	Female	0.21	0	NC*
Total	0.22	0	NC*	Total	0.43	0	NC*
Hodgkin's Disease (Ho	odgkin Lympho	ma)		<u>Prostate</u>			
Male	0.05	0	NC*	Male	2.83	2	NC*
Female	0.04	0	NC*				
Total	0.09	0	NC*				
Kidney & Renal Pelvis				<u>Stomach</u>			
Male	0.27	0	NC*	Male	0.23	0	NC*
Female	0.15	0	NC*	Female	0.13	0	NC*
Total	0.42	0	NC*	Total	0.36	0	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	0.14	0	NC*	 Male	0.06	0	NC*
Female	0.03	0	NC*				
Total	0.18	0	NC*				
Leukemia				<u>Thyroid</u>			
Male	0.23	0	NC*	Male	0.05	0	NC*
Female	0.18	1	NC*	Female	0.15	0	NC*
Total	0.41	1	NC*	Total	0.20	0	NC*
Liver and Intrahepatic				Uteri, Corpus and Ute			
Male	0.12	0	NC*	<del>,,</del>	<u> </u>		
Female	0.05	0	NC*	Female	0.48	2	NC*
Total	0.16	0	NC*		. · <del>·</del>	_	
Lung and Bronchus		-	-	All Sites / Types			
Male	1.45	1	NC*	Male	9.52	5	53
Female	1.04	0	NC*	Female	8.26	7	85
Total	2.50	1	NC*	Total	17.78	12	68
		•			•		

## **Watertown**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		Exp	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	18.41	11	60	Male	13.26	11	83
Female	8.97	9	100	Female	13.07	13	99
Total	27.38	20	73	Total	26.33	24	91
Brain and Other Ner	vous System			Multiple Myeloma			
Male	6.01	6	100	Male	3.73	4	NC*
Female	6.09	10	164	Female	4.29	5	117
Total	12.11	16	132	Total	8.02	9	112
<u>Breast</u>				Non-Hodgkin('s) Ly	mphoma		
Male	0.92	0	NC*	Male	15.25	16	105
Female	139.13	143	103	Female	17.25	25	145
Total	140.04	143	102	Total	32.51	41	126
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	11.24	12	107
Female	8.09	4	NC*	Female	7.02	8	114
				Total	18.26	20	110
Colon / Rectum				<u>Ovary</u>			
Male	46.28	48	104				
Female	58.91	65	110	Female	16.43	11	67
Total	105.19	113	107				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	6.65	8	120	Male	8.14	12	147
Female	2.76	2	NC*	Female	11.44	11	96
Total	9.41	10	106	Total	19.58	23	117
Hodgkin's Disease (I	Hodgkin Lympho	<u>ma)</u>		<b>Prostate</b>			
Male	3.01	1	NC*	Male	116.91	127	109
Female	3.14	5	159				
Total	6.15	6	98				
Kidney & Renal Pelv	<u>ris</u>			<b>Stomach</b>			
Male	11.01	9	82	Male	7.98	11	138
Female	8.44	7	83	Female	6.55	14	214 #+
Total	19.45	16	82	Total	14.53	25	172 #+
<u>Larynx</u>				<u>Testis</u>			
Male	5.91	3	NC*	Male	5.21	8	154
Female	1.81	3	NC*				
Total	7.72	6	78				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	9.18	12	131	Male	2.73	5	183
Female	9.21	12	130	Female	9.91	12	121
Total	18.39	24	131	Total	12.64	17	135
Liver and Intrahepat				Uteri, Corpus and U	terus, NOS		
Male	4.72	10	212 #+				
Female	2.49	2	NC*	Female	25.60	26	102
Total	7.21	12	166				
Lung and Bronchus				All Sites / Types			
Male	58.87	67	114	Male	380.92	407	107
Female	60.02	60	100	Female	455.04	487	107
Total	118.89	127	107	Total	835.96	894	107 #+

**Wayland**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	9.59	10	104	Male	6.99	7	100
Female	3.27	2	NC*	Female	5.09	10	196
Total	12.86	12	93	Total	12.08	17	141
<b>Brain and Other Nerv</b>	ous System			Multiple Myeloma			
Male	3.13	3	NC*	Male	2.04	2	NC*
Female	2.44	5	205	Female	1.71	1	NC*
Total	5.57	8	144	Total	3.75	3	NC*
<u>Breast</u>				Non-Hodgkin('s) Ly	mphoma_		
Male	0.50	1	NC*	Male	7.76	10	129
Female	61.68	73	118	Female	6.64	6	90
Total	62.17	74	119	Total	14.40	16	111
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	6.49	4	NC*
Female	3.02	1	NC*	Female	2.95	4	NC*
				Total	9.45	8	85
Colon / Rectum				<u>Ovary</u>			
Male	24.38	22	90				
Female	21.03	21	100	Female	6.98	4	NC*
Total	45.41	43	95				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	3.80	5	132	Male	4.40	3	NC*
Female	1.01	2	NC*	Female	4.15	3	NC*
Total	4.81	7	146	Total	8.56	6	70
Hodgkin's Disease (H	lodgkin Lympho	<u>ma)</u>		<b>Prostate</b>			
Male	1.22	2	NC*	Male	68.13	69	101
Female	0.99	1	NC*				
Total	2.21	3	NC*				
Kidney & Renal Pelvi	<u>is</u>			<b>Stomach</b>			
Male	6.15	5	81	Male	4.16	4	NC*
Female	3.60	3	NC*	Female	2.22	1	NC*
Total	9.75	8	82	Total	6.38	5	78
<u>Larynx</u>				<u>Testis</u>			
Male	3.48	4	NC*	Male	1.61	2	NC*
Female	0.88	1	NC*				
Total	4.36	5	115				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	4.76	2	NC*	Male	1.31	2	NC*
Female	3.56	3	NC*	Female	3.52	4	NC*
Total	8.32	5	60	Total	4.83	6	124
Liver and Intrahepati	c Bile Ducts			Uteri, Corpus and U	terus, NOS		
Male	2.68	1	NC*				
Female	0.92	0	NC*	Female	12.15	9	74
Total	3.60	1	NC*				
<b>Lung and Bronchus</b>				All Sites / Types			
Male	32.59	17	52 ~-	Male	207.93	184	88
Female	25.86	13	50 ~-	Female	186.20	180	97
Total	58.46	30	51 ^-	Total	394.13	364	92

**Webster**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	11.91	12	101	Male	7.76	6	77
Female	5.06	7	138	Female	6.47	2	NC*
Total	16.97	19	112	Total	14.23	8	56
<b>Brain and Other Nerv</b>	ous System			Multiple Myeloma			
Male	3.44	7	204	Male	2.35	2	NC*
Female	3.21	1	NC*	Female	2.38	2	NC*
Total	6.64	8	120	Total	4.73	4	NC*
<u>Breast</u>				Non-Hodgkin('s) Ly	mphoma		
Male	0.56	2	NC*	Male	9.08	10	110
Female	72.76	69	95	Female	9.33	11	118
Total	73.32	71	97	Total	18.41	21	114
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	6.68	4	NC*
Female	3.72	4	NC*	Female	3.79	4	NC*
				Total	10.47	8	76
Colon / Rectum				<u>Ovary</u>			
Male	29.48	25	85				
Female	33.57	24	71	Female	8.47	8	94
Total	63.05	49	78				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	4.09	3	NC*	Male	5.15	7	136
Female	1.57	0	NC*	Female	6.48	5	77
Total	5.66	3	NC*	Total	11.64	12	103
Hodgkin's Disease (H	lodgkin Lympho	<u>ma)</u>		<u>Prostate</u>			
Male	1.47	1	NC*	Male	71.63	62	87
Female	1.41	2	NC*				
Total	2.88	3	NC*				
Kidney & Renal Pelvi	<u>s</u>			<b>Stomach</b>			
Male	6.67	7	105	Male	5.13	7	136
Female	4.53	9	199	Female	3.70	4	NC*
Total	11.20	16	143	Total	8.83	11	125
<u>Larynx</u>				<u>Testis</u>			
Male	3.55	5	141	Male	2.25	4	NC*
Female	0.96	2	NC*				
Total	4.52	7	155				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	5.65	7	124	Male	1.41	0	NC*
Female	5.12	7	137	Female	4.35	1	NC*
Total	10.77	14	130	Total	5.76	1	NC*
Liver and Intrahepati	c Bile Ducts			Uteri, Corpus and U	terus, NOS		
Male	2.84	3	NC*	·			
Female	1.41	2	NC*	Female	13.63	22	161 #+
Total	4.25	5	118				
Lung and Bronchus				All Sites / Types			
Male	36.48	39	107	Male	233.39	229	98
Female	32.85	25	76	Female	244.04	234	96
Total	69.33	64	92	Total	477.43	463	97

Wellesley
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	19.55	10	51 #-	Male	13.78	16	116
Female	7.46	9	121	Female	11.43	15	131
Total	27.01	19	70	Total	25.21	31	123
Brain and Other Ner	vous System			Multiple Myeloma			
Male	6.11	9	147	Male	4.02	1	NC*
Female	5.42	4	NC*	Female	3.73	1	NC*
Total	11.53	13	113	Total	7.75	2	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyr	mphoma_		
Male	0.96	2	NC*	Male	15.58	11	71
Female	129.63	137	106	Female	14.73	12	81
Total	130.59	139	106	Total	30.30	23	76
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	12.48	8	64
Female	6.94	2	NC*	Female	6.33	3	NC*
				Total	18.81	11	58
Colon / Rectum				<u>Ovary</u>			
Male	49.15	40	81				
Female	48.67	27	55 ~-	Female	14.94	12	80
Total	97.82	67	68 ~-				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	7.32	6	82	Male	8.80	5	57
Female	2.31	4	NC*	Female	9.47	9	95
Total	9.63	10	104	Total	18.27	14	77
Hodgkin's Disease (	Hodgkin Lympho	ma)		<u>Prostate</u>			
Male	2.51	1	NC*	Male	129.09	108	84
Female	2.50	0	NC*				
Total	5.02	1	NC*				
Kidney & Renal Pelv				<u>Stomach</u>			
Male	11.91	2	NC*	Male	8.55	3	NC*
Female	7.59	9	119	Female	5.34	3	NC*
Total	19.51	11	56	Total	13.89	6	43 #-
<u>Larynx</u>				<u>Testis</u>			
Male	6.59	3	NC*	Male	3.59	1	NC*
Female	1.73	2	NC*				
Total	8.32	5	60				
<u>Leukemia</u>	0 = 4	•	•	<u>Thyroid</u>	00	•	
Male	9.54	9	94	Male	2.59	3	NC*
Female	8.12	6	74	Female	8.33	5	60
Total	17.66	15	85	Total	10.93	8	73
Liver and Intrahepat		4	NOT	Uteri, Corpus and U	terus, NOS		
Male	5.15	1	NC*		04.05	04	0.5
Female	2.09	2	NC*	Female	24.65	21	85
Total	7.24	3	NC*	All Cites / Towers			
Lung and Bronchus	62 11	22	FΩΛ	All Sites / Types	40G E2	200	70 4
Male	63.11	33	52 ^-	Male	406.53	286	70 ^-
Female	53.64 116.75	34 67	63 ~- 57 ^	Female	404.14	339 635	84 ^-
Total	116.75	67	57 ^-	Total	810.67	625	77 ^-

Wellfleet
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	2.99	3	NC*	Male	1.73	0	NC*
Female	0.99	1	NC*	Female	1.19	1	NC*
Total	3.97	4	NC*	Total	2.93	1	NC*
Brain and Other Nerv	ous System			Multiple Myeloma			
Male	0.71	1	NC*	Male	0.57	1	NC*
Female	0.59	0	NC*	Female	0.48	1	NC*
Total	1.30	1	NC*	Total	1.04	2	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyr	<u>nphoma</u>		
Male	0.13	1	NC*	Male	2.06	2	NC*
Female	14.55	14	96	Female	1.81	2	NC*
Total	14.68	15	102	Total	3.87	4	NC*
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	1.52	0	NC*
Female	0.65	4	NC*	Female	0.75	1	NC*
				Total	2.28	1	NC*
Colon / Rectum				<u>Ovary</u>			
Male	7.30	7	96				
Female	6.45	7	108	Female	1.66	0	NC*
Total	13.75	14	102				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	0.98	1	NC*	Male	1.27	5	395 #+
Female	0.31	0	NC*	Female	1.27	0	NC*
Total	1.28	1	NC*	Total	2.54	5	197
Hodgkin's Disease (F	lodgkin Lympho	<u>ma)</u>		<b>Prostate</b>			
Male	0.24	0	NC*	Male	17.21	32	186 ~+
Female	0.22	0	NC*				
Total	0.46	0	NC*				
Kidney & Renal Pelvi	i <u>s</u>			<b>Stomach</b>			
Male	1.53	1	NC*	Male	1.28	0	NC*
Female	0.92	1	NC*	Female	0.70	2	NC*
Total	2.45	2	NC*	Total	1.98	2	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	0.83	0	NC*	Male	0.30	0	NC*
Female	0.21	0	NC*				
Total	1.04	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	1.28	2	NC*	Male	0.27	1	NC*
Female	0.95	0	NC*	Female	0.71	0	NC*
Total	2.23	2	NC*	Total	0.98	1	NC*
Liver and Intrahepati				Uteri, Corpus and U	terus, NOS		
Male	0.66	1	NC*	•			
Female	0.27	0	NC*	Female	2.84	2	NC*
Total	0.93	1	NC*				
Lung and Bronchus				All Sites / Types			
Male	8.79	7	80	Male	55.40	74	134 #+
Female	6.85	8	117	Female	47.99	49	102
Total	15.64	15	96	Total	103.40	123	119
					· · · ·		

**Wendell**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	0.51	0	NC*	Male	0.49	0	NC*
Female	0.16	0	NC*	Female	0.36	0	NC*
Total	0.67	0	NC*	Total	0.84	0	NC*
<b>Brain and Other Nervo</b>	ous System			Multiple Myeloma			
Male	0.22	0	NC*	Male	0.12	0	NC*
Female	0.16	0	NC*	Female	0.09	1	NC*
Total	0.38	0	NC*	Total	0.21	1	NC*
<u>Breast</u>				Non-Hodgkin('s) Lym	<u>iphoma</u>		
Male	0.03	0	NC*	Male	0.51	1	NC*
Female	4.02	2	NC*	Female	0.37	0	NC*
Total	4.05	2	NC*	Total	0.88	1	NC*
Cervix Uteri				Oral Cavity & Pharyn	<u>x</u>		
				Male	0.46	0	NC*
Female	0.23	1	NC*	Female	0.18	0	NC*
				Total	0.64	0	NC*
Colon / Rectum				<u>Ovary</u>			
Male	1.33	0	NC*				
Female	1.05	0	NC*	Female	0.45	0	NC*
Total	2.38	0	NC*				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	0.23	1	NC*	Male	0.26	0	NC*
Female	0.05	0	NC*	Female	0.20	0	NC*
Total	0.28	1	NC*	Total	0.46	0	NC*
Hodgkin's Disease (Ho	odgkin Lympho	<u>ma)</u>		<u>Prostate</u>			
Male	0.11	0	NC*	Male	3.83	0	NC*
Female	0.08	1	NC*				
Total	0.19	1	NC*				
Kidney & Renal Pelvis	<u> </u>			<u>Stomach</u>			
Male	0.40	2	NC*	Male	0.24	0	NC*
Female	0.21	0	NC*	Female	0.11	0	NC*
Total	0.61	2	NC*	Total	0.35	0	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	0.22	0	NC*	Male	0.16	0	NC*
Female	0.05	0	NC*				
Total	0.27	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	0.30	0	NC*	Male	0.11	1	NC*
Female	0.22	0	NC*	Female	0.29	0	NC*
Total	0.52	0	NC*	Total	0.40	1	NC*
Liver and Intrahepatic	Bile Ducts			Uteri, Corpus and Ut	erus, NOS		
Male	0.17	0	NC*		<u> </u>		
Female	0.05	0	NC*	Female	0.77	0	NC*
Total	0.22	0	NC*				
Lung and Bronchus				All Sites / Types			
Male	1.79	0	NC*	Male	12.26	5	41 #-
Female	1.37	0	NC*	Female	11.18	5	45
Total	3.16	0	NC*	Total	23.44	10	43 ~-

## **Wenham**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	3.55	3	NC*	Male	2.51	6	239
Female	1.18	1	NC*	Female	1.91	1	NC*
Total	4.72	4	NC*	Total	4.42	7	158
<b>Brain and Other Nerv</b>	ous System			Multiple Myeloma			
Male	1.14	2	NC*	Male	0.72	1	NC*
Female	0.94	2	NC*	Female	0.59	1	NC*
Total	2.07	4	NC*	Total	1.32	2	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyn	nphoma		
Male	0.17	2	NC*	Male	2.87	2	NC*
Female	21.08	17	81	Female	2.41	1	NC*
Total	21.25	19	89	Total	5.27	3	NC*
Cervix Uteri				Oral Cavity & Pharys	<u>1X</u>		
				Male	2.22	1	NC*
Female	1.19	1	NC*	Female	1.02	1	NC*
				Total	3.25	2	NC*
Colon / Rectum				<u>Ovary</u>			
Male	8.93	8	90	<del></del>			
Female	7.59	8	105	Female	2.47	2	NC*
Total	16.52	16	97				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	1.31	1	NC*	Male	1.59	0	NC*
Female	0.36	2	NC*	Female	1.49	0	NC*
Total	1.68	3	NC*	Total	3.08	0	NC*
Hodgkin's Disease (H	lodgkin Lympho	ma)		<u>Prostate</u>			
Male	0.51	0	NC*	Male	23.31	19	82
Female	0.46	0	NC*				
Total	0.97	0	NC*				
Kidney & Renal Pelvi				<u>Stomach</u>			
Male	 2.14	5	234	Male	1.54	0	NC*
Female	1.25	0	NC*	Female	0.83	2	NC*
Total	3.39	5	148	Total	2.37	2	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	1.18	0	NC*	Male	0.80	1	NC*
Female	0.29	0	NC*				
Total	1.46	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	1.75	2	NC*	Male	0.49	1	NC*
Female	1.35	0	NC*	Female	1.47	1	NC*
Total	3.10	2	NC*	Total	1.96	2	NC*
Liver and Intrahepation				Uteri, Corpus and Ut			
Male	0.92	0	NC*		<u> </u>		
Female	0.33	0	NC*	Female	4.00	2	NC*
Total	1.26	0	NC*			_	
Lung and Bronchus	-	-	-	All Sites / Types			
Male	11.47	11	96	Male	73.92	69	93
Female	8.74	5	57	Female	65.56	49	75 #-
Total	20.21	16	79	Total	139.48	118	85
1 3101	_0	. •		iotai	.50.10		00

West Boylston
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	5.95	9	151	Male	4.29	2	NC*
Female	1.84	1	NC*	Female	2.52	3	NC*
Total	7.78	10	128	Total	6.80	5	73
<b>Brain and Other Nerv</b>	ous System			Multiple Myeloma			
Male	1.90	2	NC*	Male	1.22	0	NC*
Female	1.24	1	NC*	Female	0.92	1	NC*
Total	3.14	3	NC*	Total	2.13	1	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyr	nphoma		
Male	0.30	0	NC*	Male	4.89	3	NC*
Female	30.00	31	103	Female	3.56	4	NC*
Total	30.29	31	102	Total	8.44	7	83
Cervix Uteri				Oral Cavity & Phary	n <u>x</u>		
				Male	3.71	1	NC*
Female	1.44	0	NC*	Female	1.50	1	NC*
				Total	5.21	2	NC*
Colon / Rectum				<u>Ovary</u>			
Male	14.93	9	60	<del></del>			
Female	11.98	8	67	Female	3.43	5	146
Total	26.92	17	63			-	
<u>Esophagus</u>	_0.0_			Pancreas Pancreas			
Male	2.17	1	NC*	Male	2.65	2	NC*
Female	0.57	2	NC*	Female	2.36	3	NC*
Total	2.74	3	NC*	Total	5.00	5	100
Hodgkin's Disease (H			110	Prostate Prostate	0.00	ŭ	100
Male	0.90	1	NC*	Male	37.99	29	76
Female	0.50	2	NC*	Maio	01.00	20	70
Total	1.40	3	NC*				
Kidney & Renal Pelvis		J	140	Stomach			
Male Male	<u>s</u> 3.61	1	NC*	<u>otomach</u> Male	2.59	3	NC*
Female	1.83	2	NC*	Female	1.27	1	NC*
Total	5.44	3	NC*	Total	3.86	4	NC*
	J. <del>11</del>	3	NO	<u>Testis</u>	3.00	7	NO
<u>Larynx</u> Male	1.94	4	NC*	Male	1.49	1	NC*
Female	0.43	0	NC*	iviale	1.43	ı	INC
Total	2.37	4	NC*				
	2.31	4	NC	Thuroid			
<u>Leukemia</u> Male	2.94	0	NC*	<u>Thyroid</u>	0.85	2	NC*
		2		Male		2	
Female	1.87	2	NC*	Female	1.66	0	NC*
Total	4.81	4	NC*	Total	2.52	2	NC*
Liver and Intrahepation		•	110*	Uteri, Corpus and U	terus, NOS		
Male	1.55	0	NC*		5.04		400
Female	0.51	0	NC*	Female	5.84	6	103
Total	2.06	0	NC*	A III 01/2 - 1 =			
Lung and Bronchus	40.00			All Sites / Types	100.00	20	
Male	19.03	11	58	Male	123.03	90	73 ~-
Female	13.48	11	82	Female	95.65	86	90
Total	32.51	22	68	Total	218.67	176	80 ~-

West Bridgewater
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	4.94	11	223 #+	Male	3.46	8	231
Female	1.86	5	268	Female	2.70	3	NC*
Total	6.81	16	235 ~+	Total	6.16	11	179
<b>Brain and Other Nerv</b>	ous System			Multiple Myeloma			
Male	1.54	2	NC*	Male	1.02	1	NC*
Female	1.30	0	NC*	Female	0.93	0	NC*
Total	2.84	2	NC*	Total	1.95	1	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyr	mphoma		
Male	0.24	0	NC*	Male	3.94	4	NC*
Female	31.45	39	124	Female	3.66	1	NC*
Total	31.70	39	123	Total	7.60	5	66
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	3.08	1	NC*
Female	1.59	1	NC*	Female	1.55	2	NC*
				Total	4.64	3	NC*
Colon / Rectum				<u>Ovary</u>			
Male	12.39	12	97				
Female	12.23	17	139	Female	3.60	1	NC*
Total	24.62	29	118				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	1.82	3	NC*	Male	2.20	1	NC*
Female	0.58	0	NC*	Female	2.38	0	NC*
Total	2.40	3	NC*	Total	4.59	1	NC*
Hodgkin's Disease (H	odgkin Lympho	<u>ma)</u>		<u>Prostate</u>			
Male	0.65	0	NC*	Male	32.06	34	106
Female	0.56	0	NC*				
Total	1.20	0	NC*				
Kidney & Renal Pelvis	<u>s</u>			<u>Stomach</u>			
Male	2.99	6	200	Male	2.14	1	NC*
Female	1.88	2	NC*	Female	1.30	2	NC*
Total	4.87	8	164	Total	3.44	3	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	1.63	0	NC*	Male	0.95	1	NC*
Female	0.43	0	NC*				
Total	2.07	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	2.42	2	NC*	Male	0.65	1	NC*
Female	1.94	3	NC*	Female	1.87	2	NC*
Total	4.36	5	115	Total	2.52	3	NC*
Liver and Intrahepation				Uteri, Corpus and U			
Male	1.29	2	NC*	<del></del>			
Female	0.52	0	NC*	Female	6.06	9	149
Total	1.81	2	NC*				
Lung and Bronchus				All Sites / Types			
Male	15.89	15	94	Male	101.96	114	112
Female	13.63	19	139	Female	99.16	117	118
Total	29.53	34	115	Total	201.12	231	115 #+
. • • • • • • • • • • • • • • • • • • •		•			·· ·-		

## **West Brookfield**

## Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	2.74	4	NC*	Male	1.87	0	NC*
Female	1.08	3	NC*	Female	1.41	3	NC*
Total	3.83	7	183	Total	3.29	3	NC*
Brain and Other Nerv	ous System			Multiple Myeloma			
Male	0.81	1	NC*	Male	0.56	0	NC*
Female	0.68	1	NC*	Female	0.52	1	NC*
Total	1.50	2	NC*	Total	1.08	1	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyr	nphoma_		
Male	0.13	0	NC*	Male	2.13	4	NC*
Female	16.49	13	79	Female	1.98	0	NC*
Total	16.62	13	78	Total	4.11	4	NC*
Cervix Uteri				Oral Cavity & Phary	<u>1X</u>		
				Male	1.69	1	NC*
Female	0.80	1	NC*	Female	0.84	1	NC*
				Total	2.53	2	NC*
Colon / Rectum				<u>Ovary</u>			
Male	6.84	5	73	<del></del> -			
Female	7.14	9	126	Female	1.89	5	265
Total	13.97	14	100				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	0.99	0	NC*	Male	1.22	1	NC*
Female	0.34	0	NC*	Female	1.38	3	NC*
Total	1.33	0	NC*	Total	2.60	4	NC*
Hodgkin's Disease (H		ma)		<u>Prostate</u>			
Male	0.32	0	NC*	Male	17.31	18	104
Female	0.28	0	NC*				
Total	0.60	0	NC*				
Kidney & Renal Pelvi				<u>Stomach</u>			
Male	1.63	0	NC*	Male	1.20	2	NC*
Female	0.99	2	NC*	Female	0.80	0	NC*
Total	2.62	2	NC*	Total	2.00	2	NC*
Larynx				Testis			
Male	0.89	2	NC*	Male	0.44	1	NC*
Female	0.22	0	NC*				
Total	1.10	2	NC*				
<u>Leukemia</u>		_		<u>Thyroid</u>			
Male	1.31	0	NC*	Male	0.34	1	NC*
Female	1.12	0	NC*	Female	0.92	0	NC*
Total	2.43	0	NC*	Total	1.26	1	NC*
Liver and Intrahepati		·		Uteri, Corpus and U		•	
Male	0.70	0	NC*	<u> </u>	<u>,</u>		
Female	0.30	0	NC*	Female	3.14	3	NC*
Total	1.00	0	NC*		•	·	
Lung and Bronchus		•		All Sites / Types			
Male	8.59	5	58	Male	55.35	50	90
Female	7.11	5	70	Female	53.59	53	99
Total	15.70	10	64	Total	108.94	103	95
iotai	10.10	10	<b>3</b> 1	iotai	100.01	100	55

West Newbury
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	2.29	2	NC*	Male	1.86	1	NC*
Female	0.76	2	NC*	Female	1.36	0	NC*
Total	3.05	4	NC*	Total	3.22	1	NC*
<b>Brain and Other Nerv</b>	ous System			Multiple Myeloma			
Male	0.85	2	NC*	Male	0.50	0	NC*
Female	0.64	1	NC*	Female	0.42	0	NC*
Total	1.49	3	NC*	Total	0.92	0	NC*
<u>Breast</u>				Non-Hodgkin('s) Lym	nphoma		
Male	0.12	0	NC*	Male	2.01	0	NC*
Female	16.28	20	123	Female	1.63	0	NC*
Total	16.40	20	122	Total	3.64	0	NC*
Cervix Uteri				Oral Cavity & Pharyn	<u>1X</u>		
				Male	1.77	1	NC*
Female	0.84	2	NC*	Female	0.75	0	NC*
				Total	2.52	1	NC*
Colon / Rectum				<u>Ovary</u>			
Male	5.88	5	85	<del></del>			
Female	4.91	2	NC*	Female	1.83	4	NC*
Total	10.79	7	65				
<u>Esophagus</u>				<u>Pancreas</u>			
Male	0.96	2	NC*	Male	1.10	2	NC*
Female	0.24	0	NC*	Female	0.96	0	NC*
Total	1.20	2	NC*	Total	2.05	2	NC*
Hodgkin's Disease (H		ma)		<u>Prostate</u>			
Male	0.35	0	NC*	Male	16.81	18	107
Female	0.27	0	NC*				
Total	0.63	0	NC*				
Kidney & Renal Pelvis				Stomach			
Male	1.60	0	NC*	Male	1.04	0	NC*
Female	0.90	1	NC*	Female	0.51	0	NC*
Total	2.50	1	NC*	Total	1.55	0	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	0.91	0	NC*	Male	0.48	1	NC*
Female	0.22	0	NC*				
Total	1.13	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	1.23	3	NC*	Male	0.38	1	NC*
Female	0.90	2	NC*	Female	1.00	1	NC*
Total	2.13	5	235	Total	1.38	2	NC*
Liver and Intrahepation				Uteri, Corpus and Ut			
Male	0.70	0	NC*				
Female	0.22	1	NC*	Female	3.19	2	NC*
Total	0.92	1	NC*		- · · ·	_	
Lung and Bronchus			-	All Sites / Types			
Male	7.86	8	102	Male	51.88	51	98
Female	6.32	6	95	Female	47.22	45	95
Total	14.18	14	99	Total	99.10	96	97
10101			•••	1000	55.15		01

# West Springfield Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	20.62	15	73	Male	14.26	5	35 ~-
Female	8.01	13	162	Female	11.16	4	NC*
Total	28.63	28	98	Total	25.42	9	35 ^-
Brain and Other Ner	vous System			Multiple Myeloma			
Male	6.40	8	125	Male	4.18	1	NC*
Female	5.42	3	NC*	Female	3.90	0	NC*
Total	11.82	11	93	Total	8.08	1	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyr	<u>mphoma</u>		
Male	1.01	1	NC*	Male	16.36	7	43 #-
Female	126.68	107	84	Female	15.36	15	98
Total	127.69	108	85	Total	31.72	22	69
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	12.52	19	152
Female	6.59	5	76	Female	6.39	6	94
				Total	18.91	25	132
Colon / Rectum				<u>Ovary</u>			
Male	51.73	43	83				
Female	52.43	54	103	Female	14.70	7	48 #-
Total	104.16	97	93				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	7.51	6	80	Male	9.14	9	99
Female	2.47	4	NC*	Female	10.24	11	107
Total	9.99	10	100	Total	19.38	20	103
Hodgkin's Disease (I	Hodgkin Lympho	ma)		<u>Prostate</u>			
Male	2.82	3	NC*	Male	133.43	95	71 ^-
Female	2.44	3	NC*				
Total	5.26	6	114				
Kidney & Renal Pelv	is			Stomach			
Male	 12.21	8	66	Male	8.91	9	101
Female	7.73	9	116	Female	5.72	3	NC*
Total	19.94	17	85	Total	14.62	12	82
<u>Larynx</u>				<u>Testis</u>			
Male	6.68	4	NC*	Male	4.39	4	NC*
Female	1.73	1	NC*				
Total	8.41	5	59				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	10.01	6	60	Male	2.74	6	219
Female	8.27	5	60	Female	7.81	9	115
Total	18.28	11	60	Total	10.54	15	142
Liver and Intrahepat				Uteri, Corpus and U			
Male	5.26	5	95				
Female	2.23	2	NC*	Female	24.07	30	125
Total	7.49	7	93	, omalo		••	.23
Lung and Bronchus	5	•		All Sites / Types			
Male	66.19	66	100	Male	424.05	349	82 ^-
Female	55.85	55	98	Female	409.63	375	92
Total	122.04	121	99	Total	833.68	724	87 ^-
iotai	122.07	141	55	iotai	550.00	147	01 -

West Stockbridge
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	1.37	1	NC*	Male	0.87	2	NC*
Female	0.44	0	NC*	Female	0.61	1	NC*
Total	1.81	1	NC*	Total	1.47	3	NC*
<b>Brain and Other Nervo</b>	us System			<b>Multiple Myeloma</b>			
Male	0.37	0	NC*	Male	0.27	0	NC*
Female	0.29	0	NC*	Female	0.22	0	NC*
Total	0.66	0	NC*	Total	0.49	0	NC*
<u>Breast</u>				Non-Hodgkin('s) Lym	<u>iphoma</u>		
Male	0.06	0	NC*	Male	1.01	2	NC*
Female	7.32	6	82	Female	0.85	0	NC*
Total	7.38	6	81	Total	1.86	2	NC*
Cervix Uteri				Oral Cavity & Pharyn	<u>x</u>		
				Male	0.76	2	NC*
Female	0.35	0	NC*	Female	0.36	0	NC*
				Total	1.13	2	NC*
Colon / Rectum				<u>Ovary</u>			
Male	3.37	2	NC*				
Female	2.88	0	NC*	Female	0.83	1	NC*
Total	6.25	2	NC*				
<u>Esophagus</u>				<u>Pancreas</u>			
Male	0.47	0	NC*	Male	0.59	0	NC*
Female	0.14	0	NC*	Female	0.57	1	NC*
Total	0.61	0	NC*	Total	1.16	1	NC*
Hodgkin's Disease (Ho	dgkin Lympho	<u>ma)</u>		<u>Prostate</u>			
Male	0.14	0	NC*	Male	8.23	6	73
Female	0.12	0	NC*				
Total	0.25	0	NC*				
Kidney & Renal Pelvis				<u>Stomach</u>			
Male	0.76	0	NC*	Male	0.59	0	NC*
Female	0.44	1	NC*	Female	0.31	0	NC*
Total	1.20	1	NC*	Total	0.90	0	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	0.41	0	NC*	Male	0.19	0	NC*
Female	0.10	0	NC*				
Total	0.51	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	0.63	0	NC*	Male	0.15	0	NC*
Female	0.45	0	NC*	Female	0.40	0	NC*
Total	1.07	0	NC*	Total	0.54	0	NC*
Liver and Intrahepatic	Bile Ducts			Uteri, Corpus and Ute	erus, NOS		
Male	0.33	0	NC*				
Female	0.12	0	NC*	Female	1.43	2	NC*
Total	0.45	0	NC*				
Lung and Bronchus				All Sites / Types			
Male	4.18	2	NC*	Male	26.49	19	72
Female	3.23	3	NC*	Female	23.12	15	65
Total	7.41	5	67	Total	49.61	34	69 #-

West Tisbury
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	1.46	3	NC*	Male	1.10	0	NC*
Female	0.46	0	NC*	Female	0.76	3	NC*
Total	1.92	3	NC*	Total	1.86	3	NC*
<b>Brain and Other Nervo</b>	us System			Multiple Myeloma			
Male	0.48	0	NC*	Male	0.31	0	NC*
Female	0.36	0	NC*	Female	0.24	1	NC*
Total	0.84	0	NC*	Total	0.55	1	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyn	nphoma		
Male	0.07	0	NC*	Male	1.22	1	NC*
Female	8.89	11	124	Female	0.95	0	NC*
Total	8.97	11	123	Total	2.16	1	NC*
Cervix Uteri				Oral Cavity & Pharyr	<u>ıx</u>		
				Male	1.00	0	NC*
Female	0.47	0	NC*	Female	0.42	1	NC*
				Total	1.42	1	NC*
Colon / Rectum				<u>Ovary</u>			
Male	3.67	1	NC*	<del></del>			
Female	3.00	1	NC*	Female	1.01	3	NC*
Total	6.68	2	NC*				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	0.56	1	NC*	Male	0.67	0	NC*
Female	0.14	0	NC*	Female	0.58	1	NC*
Total	0.70	1	NC*	Total	1.25	1	NC*
Hodgkin's Disease (Ho		ma)		<u>Prostate</u>			
Male	0.20	0	NC*	Male	9.52	11	116
Female	0.16	0	NC*				
Total	0.36	0	NC*				
Kidney & Renal Pelvis	0.00	·		Stomach			
Male	0.95	0	NC*	Male	0.65	1	NC*
Female	0.50	0	NC*	Female	0.32	0	NC*
Total	1.45	0	NC*	Total	0.97	1	NC*
<u>Larynx</u>	11.10	ŭ	110	<u>Testis</u>	0.07	·	110
Male	0.51	1	NC*	Male	0.27	1	NC*
Female	0.12	0	NC*	maio	0.27	·	110
Total	0.63	1	NC*				
<u>Leukemia</u>	0.00	·	110	<u>Thyroid</u>			
Male	0.75	0	NC*	Male	0.21	0	NC*
Female	0.52	2	NC*	Female	0.56	0	NC*
Total	1.27	2	NC*	Total	0.76	0	NC*
Liver and Intrahepatic		2	140	Uteri, Corpus and Ut		· ·	110
Male	0.40	0	NC*	Oteri, oorpas ana ot	<u>crus, 1100</u>		
Female	0.13	0	NC*	Female	1.72	0	NC*
Total	0.13	0	NC*	i diliale	1.12	J	140
Lung and Bronchus	J.UT	V	140	All Sites / Types			
Male	4.68	3	NC*	Male	30.69	25	81
Female	3.54	3	NC*	Female	26.68	30	112
Total	3.5 <del>4</del> 8.22	6	73	Total	57.37	55	96
i Ulai	0.22	U	13	I Ulai	31.31	55	90

Westborough
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	9.68	3	NC*	Male	7.45	7	94
Female	3.44	0	NC*	Female	5.70	1	NC*
Total	13.11	3	NC*	Total	13.15	8	61
<b>Brain and Other Nerv</b>	ous System			Multiple Myeloma			
Male	3.42	4	NC*	Male	2.04	2	NC*
Female	2.69	2	NC*	Female	1.75	3	NC*
Total	6.11	6	98	Total	3.78	5	132
<u>Breast</u>				Non-Hodgkin('s) Lyr	mphoma		
Male	0.49	0	NC*	Male	8.34	8	96
Female	63.32	81	128 #+	Female	7.01	9	128
Total	63.81	81	127 #+	Total	15.35	17	111
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	6.66	0	NC*
Female	3.57	0	NC*	Female	3.04	4	NC*
				Total	9.70	4	NC*
Colon / Rectum				<u>Ovary</u>			
Male	24.52	20	82	<del></del> -			
Female	22.46	19	85	Female	7.32	12	164
Total	46.98	39	83				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	3.74	0	NC*	Male	4.44	5	113
Female	1.06	4	NC*	Female	4.35	3	NC*
Total	4.80	4	NC*	Total	8.79	8	91
Hodgkin's Disease (H		ma)		<u>Prostate</u>			
Male	1.59	3	NC*	Male	64.73	53	82
Female	1.31	1	NC*				
Total	2.91	4	NC*				
Kidney & Renal Pelvi				Stomach			
Male	6.26	3	NC*	Male	4.31	1	NC*
Female	3.63	2	NC*	Female	2.46	3	NC*
Total	9.89	5	51	Total	6.76	4	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	3.42	4	NC*	 Male	2.50	2	NC*
Female	0.83	0	NC*				
Total	4.24	4	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	5.08	2	NC*	Male	1.53	3	NC*
Female	3.91	7	179	Female	4.37	4	NC*
Total	8.99	9	100	Total	5.91	7	119
Liver and Intrahepation		-		Uteri, Corpus and U		•	
Male	2.70	1	NC*	<u></u>	<del>,</del>		
Female	0.97	0	NC*	Female	11.96	10	84
Total	3.67	1	NC*	i cinalo		10	01
Lung and Bronchus	•.•.	•		All Sites / Types			
Male	31.60	18	57 #-	Male	208.09	149	72 ^-
Female	25.24	30	119	Female	194.07	213	110
Total	56.84	48	84	Total	402.17	362	90 #-
iotai	00.07	70	0-1	TOTAL	102.11	302	50 π-

Westfield
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	27.62	30	109	Male	18.99	20	105
Female	11.00	9	82	Female	15.34	11	72
Total	38.62	39	101	Total	34.33	31	90
<b>Brain and Other Nerv</b>	vous System			Multiple Myeloma			
Male	8.55	10	117	Male	5.57	7	126
Female	7.53	9	120	Female	5.31	3	NC*
Total	16.08	19	118	Total	10.89	10	92
<u>Breast</u>				Non-Hodgkin('s) Ly	mphoma_		
Male	1.34	2	NC*	Male	21.94	24	109
Female	172.01	158	92	Female	21.00	17	81
Total	173.35	160	92	Total	42.94	41	95
Cervix Uteri				Oral Cavity & Phary	<u>/nx</u>		
				Male	16.41	21	128
Female	9.10	2	NC*	Female	8.70	9	103
				Total	25.12	30	119
Colon / Rectum				<u>Ovary</u>			
Male	68.81	62	90				
Female	72.50	60	83	Female	19.98	17	85
Total	141.31	122	86				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	9.79	12	123	Male	12.13	13	107
Female	3.40	2	NC*	Female	14.04	11	78
Total	13.19	14	106	Total	26.17	24	92
Hodgkin's Disease (I	Hodgkin Lympho	<u>ma)</u>		<u>Prostate</u>			
Male	3.80	 1	NC*	Male	170.94	128	75 ^-
Female	3.44	5	146				
Total	7.24	6	83				
Kidney & Renal Pelv	is			Stomach			
Male	 16.21	17	105	Male	11.95	6	50
Female	10.44	9	86	Female	7.95	6	76
Total	26.65	26	98	Total	19.89	12	60
<u>Larynx</u>				<u>Testis</u>			
Male	8.66	9	104	 Male	5.92	5	84
Female	2.28	2	NC*				
Total	10.94	11	101				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	13.61	14	103	Male	3.61	4	NC*
Female	11.58	9	78	Female	10.84	6	55
Total	25.18	23	91	Total	14.44	10	69
Liver and Intrahepati				Uteri, Corpus and L			
Male	6.92	9	130				
Female	3.07	4	NC*	Female	32.39	27	83
Total	10.00	13	130			<del></del>	
Lung and Bronchus				All Sites / Types			
Male	86.47	91	105	Male	556.63	513	92
Female	74.77	63	84	Female	559.03	467	84 ^-
Total	161.24	154	96	Total	1115.66	980	88 ^-
iotai	. V 1. E f	10 f	00	iotai	10.00	000	00

Westford
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		Ехр	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	9.75	12	123	Male	8.37	8	96
Female	3.13	4	NC*	Female	6.14	4	NC*
Total	12.88	16	124	Total	14.51	12	83
<b>Brain and Other Nerv</b>	ous System			<b>Multiple Myeloma</b>			
Male	3.96	3	NC*	Male	2.18	1	NC*
Female	2.91	4	NC*	Female	1.72	4	NC*
Total	6.87	7	102	Total	3.90	5	128
<u>Breast</u>				Non-Hodgkin('s) Ly	mphoma_		
Male	0.53	1	NC*	Male	9.06	13	143
Female	69.76	81	116	Female	6.99	6	86
Total	70.29	82	117	Total	16.05	19	118
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	7.80	3	NC*
Female	3.95	4	NC*	Female	3.18	1	NC*
				Total	10.98	4	NC*
Colon / Rectum				<u>Ovary</u>			
Male	25.24	25	99				
Female	20.27	20	99	Female	7.96	10	126
Total	45.50	45	99				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	4.18	3	NC*	Male	4.71	1	NC*
Female	0.97	0	NC*	Female	3.93	3	NC*
Total	5.16	3	NC*	Total	8.64	4	NC*
Hodgkin's Disease (H	lodgkin Lympho	<u>ma)</u>		<u>Prostate</u>			
Male	1.82	2	NC*	Male	72.82	61	84
Female	1.41	2	NC*				
Total	3.23	4	NC*				
Kidney & Renal Pelvi	<u>s</u>			<u>Stomach</u>			
Male	7.06	8	113	Male	4.42	4	NC*
Female	3.82	2	NC*	Female	2.14	0	NC*
Total	10.88	10	92	Total	6.56	4	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	3.97	0	NC*	Male	2.72	6	221
Female	0.92	0	NC*				
Total	4.89	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	5.53	1	NC*	Male	1.80	1	NC*
Female	3.96	9	227 #+	Female	4.89	6	123
Total	9.49	10	105	Total	6.69	7	105
Liver and Intrahepation	c Bile Ducts			Uteri, Corpus and U	terus, NOS		
Male	3.08	1	NC*				
Female	0.91	1	NC*	Female	13.43	17	127
Total	3.98	2	NC*				
Lung and Bronchus				All Sites / Types			
Male	34.13	19	56 ~-	Male	227.25	187	82 ~-
Female	26.14	18	69	Female	201.49	210	104
Total	60.28	37	61 ~-	Total	428.74	397	93

Westhampton
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		Exp	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	0.86	0	NC*	Male	0.71	0	NC*
Female	0.26	1	NC*	Female	0.50	0	NC*
Total	1.12	1	NC*	Total	1.21	0	NC*
<b>Brain and Other Nervo</b>	us System			Multiple Myeloma			
Male	0.33	1	NC*	Male	0.19	0	NC*
Female	0.23	1	NC*	Female	0.14	0	NC*
Total	0.56	2	NC*	Total	0.33	0	NC*
<u>Breast</u>				Non-Hodgkin('s) Lym	phoma		
Male	0.05	0	NC*	Male	0.78	1	NC*
Female	5.77	9	156	Female	0.57	0	NC*
Total	5.81	9	155	Total	1.35	1	NC*
Cervix Uteri				Oral Cavity & Pharyn	<u>x</u>		
				Male	0.66	0	NC*
Female	0.31	0	NC*	Female	0.26	1	NC*
				Total	0.92	1	NC*
Colon / Rectum				<u>Ovary</u>			
Male	2.20	2	NC*	•			
Female	1.68	1	NC*	Female	0.65	1	NC*
Total	3.87	3	NC*				
<b>Esophagus</b>				Pancreas Pancreas			
Male	0.36	0	NC*	Male	0.41	0	NC*
Female	0.08	0	NC*	Female	0.33	0	NC*
Total	0.44	0	NC*	Total	0.73	0	NC*
Hodgkin's Disease (Ho	dgkin Lympho	ma)		<u>Prostate</u>			
Male	0.15	0	NC*	Male	6.13	6	98
Female	0.11	0	NC*				
Total	0.26	0	NC*				
Kidney & Renal Pelvis				Stomach			
Male	0.60	0	NC*	Male	0.39	0	NC*
Female	0.32	0	NC*	Female	0.18	0	NC*
Total	0.92	0	NC*	Total	0.56	0	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	0.33	1	NC*	 Male	0.22	0	NC*
Female	0.08	0	NC*				
Total	0.41	1	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	0.47	0	NC*	Male	0.15	0	NC*
Female	0.32	0	NC*	Female	0.38	1	NC*
Total	0.79	0	NC*	Total	0.53	1	NC*
Liver and Intrahepatic				Uteri, Corpus and Ute			
Male	0.26	0	NC*		<u> </u>		
Female	0.07	0	NC*	Female	1.12	2	NC*
Total	0.34	0	NC*				
Lung and Bronchus	-	-	-	All Sites / Types			
Male	2.92	3	NC*	Male	19.37	17	88
Female	2.18	1	NC*	Female	16.60	18	108
Total	5.10	4	NC*	Total	35.97	35	97
iotai	5.10	•	110	iotai	30.01	00	31

### Westminster

### Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	4.28	5	117	Male	3.39	0	NC*
Female	1.49	0	NC*	Female	2.49	6	241
Total	5.77	5	87	Total	5.88	6	102
<b>Brain and Other Nerv</b>	ous System			Multiple Myeloma			
Male	1.53	0	NC*	Male	0.92	1	NC*
Female	1.19	0	NC*	Female	0.78	1	NC*
Total	2.72	0	NC*	Total	1.70	2	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyn	nphoma		
Male	0.22	0	NC*	Male	3.72	1	NC*
Female	28.74	18	63 #-	Female	3.10	2	NC*
Total	28.96	18	62 #-	Total	6.82	3	NC*
Cervix Uteri				Oral Cavity & Pharys	<u>1X</u>		
				Male	3.10	4	NC*
Female	1.54	2	NC*	Female	1.36	0	NC*
				Total	4.46	4	NC*
Colon / Rectum				<u>Ovary</u>			
Male	10.90	12	110	<del></del>			
Female	9.77	7	72	Female	3.28	3	NC*
Total	20.66	19	92				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	1.71	2	NC*	Male	2.00	0	NC*
Female	0.46	0	NC*	Female	1.89	1	NC*
Total	2.18	2	NC*	Total	3.89	1	NC*
Hodgkin's Disease (H		ma)		<u>Prostate</u>			
Male	0.68	0	NC*	Male	29.70	31	104
Female	0.54	0	NC*				
Total	1.22	0	NC*				
Kidney & Renal Pelvi				Stomach			
Male	2.88	3	NC*	Male	1.91	0	NC*
Female	1.64	1	NC*	Female	1.03	1	NC*
Total	4.52	4	NC*	Total	2.94	1	NC*
Larynx				<u>Testis</u>			
Male	1.59	3	NC*	Male	1.00	2	NC*
Female	0.38	0	NC*				
Total	1.98	3	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	2.26	3	NC*	Male	0.69	0	NC*
Female	1.70	1	NC*	Female	1.86	2	NC*
Total	3.95	4	NC*	Total	2.54	2	NC*
Liver and Intrahepation				Uteri, Corpus and Ut			
Male	1.25	1	NC*				
Female	0.43	0	NC*	Female	5.53	3	NC*
Total	1.67	1	NC*				-
Lung and Bronchus	•	•	-	All Sites / Types			
Male	14.31	7	49	Male	94.01	79	84
Female	11.55	5	43	Female	86.68	57	66 ^-
Total	25.86	12	46 ~-	Total	180.69	136	75 ^-
						. • • •	. •

**Weston**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	9.08	3	NC*	Male	6.31	6	95
Female	3.07	1	NC*	Female	4.53	8	177
Total	12.16	4	NC*	Total	10.84	14	129
<b>Brain and Other Nerv</b>	ous System			<b>Multiple Myeloma</b>			
Male	2.74	4	NC*	Male	1.89	0	NC*
Female	2.18	6	275 #+	Female	1.57	2	NC*
Total	4.93	10	203	Total	3.46	2	NC*
<u>Breast</u>				Non-Hodgkin('s) Ly	mphoma_		
Male	0.45	0	NC*	Male	7.06	12	170
Female	54.58	54	99	Female	6.05	4	NC*
Total	55.04	54	98	Total	13.11	16	122
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	5.85	1	NC*
Female	2.64	2	NC*	Female	2.66	1	NC*
				Total	8.51	2	NC*
Colon / Rectum				<u>Ovary</u>			
Male	22.94	29	126				
Female	19.93	18	90	Female	6.19	5	81
Total	42.86	47	110				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	3.49	0	NC*	Male	4.11	5	122
Female	0.95	0	NC*	Female	3.91	10	256 #+
Total	4.45	0	NC*	Total	8.02	15	187 #+
Hodgkin's Disease (H	lodgkin Lympho	<u>ma)</u>		<u>Prostate</u>			
Male	1.02	0	NC*	Male	62.88	69	110
Female	0.88	2	NC*				
Total	1.90	2	NC*				
Kidney & Renal Pelvi	<u>s</u>			Stomach			
Male	5.58	2	NC*	Male	3.93	3	NC*
Female	3.21	2	NC*	Female	2.14	3	NC*
Total	8.79	4	NC*	Total	6.07	6	99
<u>Larynx</u>				<u>Testis</u>			
Male	3.17	2	NC*	Male	1.31	3	NC*
Female	0.76	1	NC*				
Total	3.93	3	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	4.29	4	NC*	Male	1.14	3	NC*
Female	3.30	7	212	Female	3.06	2	NC*
Total	7.59	11	145	Total	4.20	5	119
Liver and Intrahepation	c Bile Ducts			Uteri, Corpus and U	terus, NOS		
Male	2.43	1	NC*				
Female	0.86	0	NC*	Female	10.67	15	141
Total	3.29	1	NC*				
Lung and Bronchus				All Sites / Types			
Male	30.24	12	40 ^-	Male	191.73	175	91
Female	23.08	21	91	Female	168.01	172	102
Total	53.32	33	62 ~-	Total	359.74	347	96

Westport
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		Exp	<u>Obs</u>	<u>SIR</u>
Bladder, Urinary				Melanoma of Skin			
Male	11.38	8	70	Male	8.22	6	73
Female	4.08	2	NC*	Female	5.99	3	NC*
Total	15.46	10	65	Total	14.21	9	63
<b>Brain and Other Nerv</b>	ous System			Multiple Myeloma			
Male	3.62	4	NC*	Male	2.36	0	NC*
Female	2.86	4	NC*	Female	2.06	1	NC*
Total	6.47	8	124	Total	4.42	1	NC*
<u>Breast</u>				Non-Hodgkin('s) Ly	mphoma		
Male	0.57	3	NC*	Male	9.24	10	108
Female	70.28	63	90	Female	8.01	2	NC*
Total	70.85	66	93	Total	17.25	12	70
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	7.38	3	NC*
Female	3.55	1	NC*	Female	3.45	2	NC*
				Total	10.83	5	46
Colon / Rectum				<u>Ovary</u>			
Male	28.70	20	70				
Female	26.63	22	83	Female	8.03	7	87
Total	55.34	42	76				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	4.31	5	116	Male	5.14	5	97
Female	1.26	3	NC*	Female	5.21	7	134
Total	5.57	8	144	Total	10.35	12	116
Hodgkin's Disease (H	lodgkin Lympho	<u>ma)</u>		<u>Prostate</u>			
Male	1.56	0	NC*	Male	76.03	88	116
Female	1.22	2	NC*				
Total	2.78	2	NC*				
Kidney & Renal Pelvi	<u>s</u>			Stomach			
Male	7.05	11	156	Male	4.97	8	161
Female	4.16	1	NC*	Female	2.86	4	NC*
Total	11.22	12	107	Total	7.83	12	153
<u>Larynx</u>				<u>Testis</u>			
Male	3.90	2	NC*	Male	2.35	2	NC*
Female	0.97	1	NC*				
Total	4.87	3	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	5.56	9	162	Male	1.59	0	NC*
Female	4.29	6	140	Female	4.16	4	NC*
Total	9.85	15	152	Total	5.75	4	NC*
Liver and Intrahepation	c Bile Ducts			Uteri, Corpus and U	terus, NOS		
Male	3.05	2	NC*	•			
Female	1.14	2	NC*	Female	13.57	15	111
Total	4.19	4	NC*				
Lung and Bronchus				All Sites / Types			
Male	37.19	38	102	Male	239.49	236	99
Female	30.03	25	83	Female	219.43	187	85 #-
Total	67.22	63	94	Total	458.92	423	92

## **Westwood**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
Bladder, Urinary				Melanoma of Skin			
Male	9.95	10	101	Male	7.16	3	NC*
Female	3.73	3	NC*	Female	5.39	5	93
Total	13.67	13	95	Total	12.55	8	64
<b>Brain and Other Nerv</b>	ous System			Multiple Myeloma			
Male	3.22	5	155	Male	2.09	2	NC*
Female	2.65	4	NC*	Female	1.89	0	NC*
Total	5.87	9	153	Total	3.98	2	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyı	mphoma		
Male	0.52	0	NC*	Male	8.05	8	99
Female	63.95	90	141 ~+	Female	7.39	9	122
Total	64.46	90	140 ~+	Total	15.45	17	110
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	6.42	6	93
Female	3.16	2	NC*	Female	3.15	3	NC*
				Total	9.57	9	94
Colon / Rectum				<u>Ovary</u>			
Male	25.17	27	107				
Female	24.27	41	169 ~+	Female	7.31	4	NC*
Total	49.43	68	138 #+				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	3.81	0	NC*	Male	4.49	4	NC*
Female	1.15	2	NC*	Female	4.77	13	272 ~+
Total	4.96	2	NC*	Total	9.26	17	184 #+
Hodgkin's Disease (H	lodgkin Lympho	<u>ma)</u>		<u>Prostate</u>			
Male	1.35	2	NC*	Male	68.41	83	121
Female	1.10	0	NC*				
Total	2.45	2	NC*				
Kidney & Renal Pelvi	s			Stomach			
Male	_ 6.24	3	NC*	Male	4.26	3	NC*
Female	3.85	10	260 #+	Female	2.55	3	NC*
Total	10.09	13	129	Total	6.81	6	88
<u>Larynx</u>				<u>Testis</u>			
Male	3.47	5	144	Male	1.99	3	NC*
Female	0.91	0	NC*				
Total	4.37	5	114				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	4.92	7	142	Male	1.37	1	NC*
Female	3.90	4	NC*	Female	3.69	3	NC*
Total	8.82	11	125	Total	5.05	4	NC*
Liver and Intrahepati				Uteri, Corpus and U			
Male	2.70	2	NC*		<u> </u>		
Female	1.05	0	NC*	Female	12.46	12	96
Total	3.75	2	NC*				
Lung and Bronchus	-		-	All Sites / Types			
Male	33.43	30	90	Male	212.31	221	104
Female	28.14	28	100	Female	200.55	256	128 ^+
Total	61.57	58	94	Total	412.86	477	116 ~+
			<del>.</del> .	. 5.5.	·=·•*	•••	

# Weymouth Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	33.35	43	129	Male	24.05	18	75
Female	14.20	21	148	Female	20.55	20	97
Total	47.55	64	135 #+	Total	44.61	38	85
Brain and Other Nerv	vous System			Multiple Myeloma			
Male	11.00	10	91	Male	6.83	7	103
Female	9.94	13	131	Female	6.97	2	NC*
Total	20.94	23	110	Total	13.80	9	65
<u>Breast</u>				Non-Hodgkin('s) Ly	mphoma		
Male	1.66	2	NC*	Male	27.46	33	120
Female	230.71	267	116 #+	Female	27.69	18	65
Total	232.37	269	116 #+	Total	55.15	51	92
Cervix Uteri				Oral Cavity & Phary	<u>rnx</u>		
				Male	21.00	32	152 #+
Female	12.36	9	73	Female	11.53	10	87
				Total	32.53	42	129
Colon / Rectum				<u>Ovary</u>			
Male	84.08	107	127 #+				
Female	92.62	116	125 #+	Female	26.86	30	112
Total	176.70	223	126 ^+				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	12.35	22	178 #+	Male	14.92	18	121
Female	4.38	5	114	Female	18.13	16	88
Total	16.73	27	161 #+	Total	33.05	34	103
Hodgkin's Disease (I		=		<u>Prostate</u>			
Male	5.14	10	195	Male	218.19	202	93
Female	4.64	8	173				
Total	9.78	18	184 #+				
Kidney & Renal Pelv				<u>Stomach</u>			
Male	20.30	27	133	Male	14.51	13	90
Female	14.00	24	171 #+	Female	10.08	10	99
Total .	34.30	51	149 ~+	Total	24.59	23	94
<u>Larynx</u>	44.07	•	0.4	<u>Testis</u>	0.00	_	0.4
Male	11.07	9	81	Male	8.32	7	84
Female	3.15	2	NC*				
Total	14.21	11	77	<b>-</b>			
<u>Leukemia</u>	10.70	20	110	<u>Thyroid</u>	4.00	4	N/O*
Male	16.76	20	119	Male	4.83	4	NC*
Female	14.89	13	87	Female	14.84	17	115
Total	31.65	33	104	Total	19.67	21	107
Liver and Intrahepati		0	01	Uteri, Corpus and U	iterus, NOS		
Male	8.75	8	91 151	Famala	12.71	27	0.5
Female Total	3.97 12.72	6 14	151 110	Female	43.74	37	85
Lung and Bronchus	12.12	14	110	All Sites / Types			
Male	108.03	144	133 ~+	All Sites / Types Male	698.46	785	112 ~+
Female	100.03	119	118	Female	740.01	823	112 ~+
remale Total	208.62	263	126 ^+	Total	740.01 1438.47	623 1608	111 ~+
ı Ulai	200.02	203	120 7	IUldi	1430.47	1000	112 ***

Whately
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	1.07	0	NC*	Male	0.72	1	NC*
Female	0.35	0	NC*	Female	0.52	2	NC*
Total	1.42	0	NC*	Total	1.24	3	NC*
Brain and Other Nerv	ous System			Multiple Myeloma			
Male	0.31	0	NC*	Male	0.22	0	NC*
Female	0.25	0	NC*	Female	0.18	0	NC*
Total	0.57	0	NC*	Total	0.39	0	NC*
<u>Breast</u>				Non-Hodgkin('s) Lym	nphoma		
Male	0.05	0	NC*	Male	0.82	1	NC*
Female	6.09	5	82	Female	0.70	0	NC*
Total	6.14	5	81	Total	1.52	1	NC*
Cervix Uteri				Oral Cavity & Pharyn	<u>ıx</u>		
				Male	0.65	0	NC*
Female	0.31	0	NC*	Female	0.30	0	NC*
				Total	0.95	0	NC*
Colon / Rectum				<u>Ovary</u>			
Male	2.67	2	NC*	•			
Female	2.32	3	NC*	Female	0.70	1	NC*
Total	4.98	5	100				
<u>Esophagus</u>				<u>Pancreas</u>			
Male	0.39	0	NC*	Male	0.48	1	NC*
Female	0.11	0	NC*	Female	0.45	2	NC*
Total	0.50	0	NC*	Total	0.93	3	NC*
Hodgkin's Disease (H	odgkin Lympho	<u>ma)</u>		<u>Prostate</u>			
Male	0.12	0	NC*	Male	6.91	7	101
Female	0.11	1	NC*				
Total	0.23	1	NC*				
Kidney & Renal Pelvis	5			Stomach			
Male	0.63	0	NC*	Male	0.47	0	NC*
Female	0.36	0	NC*	Female	0.24	0	NC*
Total	0.99	0	NC*	Total	0.71	0	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	0.35	0	NC*	 Male	0.16	1	NC*
Female	0.08	0	NC*				
Total	0.43	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	0.50	0	NC*	Male	0.13	0	NC*
Female	0.37	0	NC*	Female	0.36	1	NC*
Total	0.88	0	NC*	Total	0.49	1	NC*
Liver and Intrahepation				Uteri, Corpus and Ut			
Male	0.27	1	NC*		<u></u>		
Female	0.10	0	NC*	Female	1.18	0	NC*
Total	0.37	1	NC*				
Lung and Bronchus				All Sites / Types			
Male	3.38	3	NC*	Male	21.68	17	78
Female	2.63	0	NC*	Female	19.06	15	79
Total	6.02	3	NC*	Total	40.74	32	79

Whitman

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	Exp	<u>Obs</u>	SIR		Exp	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	6.81	8	117	Male	5.30	5	94
Female	2.81	4	NC*	Female	4.45	9	202
Total	9.62	12	125	Total	9.75	14	144
<b>Brain and Other Nerv</b>	ous System			Multiple Myeloma			
Male	2.51	2	NC*	Male	1.43	3	NC*
Female	2.15	2	NC*	Female	1.40	1	NC*
Total	4.67	4	NC*	Total	2.83	4	NC*
<u>Breast</u>				Non-Hodgkin('s) Ly	mphoma_		
Male	0.35	1	NC*	Male	5.97	1	NC*
Female	48.87	52	106	Female	5.62	5	89
Total	49.22	53	108	Total	11.59	6	52
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	4.67	1	NC*
Female	2.76	0	NC*	Female	2.39	2	NC*
				Total	7.06	3	NC*
Colon / Rectum				<u>Ovary</u>			
Male	17.27	18	104				
Female	18.46	15	81	Female	5.68	2	NC*
Total	35.73	33	92				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	2.61	3	NC*	Male	3.12	3	NC*
Female	0.87	1	NC*	Female	3.56	5	140
Total	3.48	4	NC*	Total	6.68	8	120
Hodgkin's Disease (H	lodgkin Lympho	<u>ma)</u>		<b>Prostate</b>			
Male	1.21	3	NC*	Male	45.15	39	86
Female	1.05	1	NC*				
Total	2.27	4	NC*				
Kidney & Renal Pelvi	<u>s</u>			<b>Stomach</b>			
Male	4.43	2	NC*	Male	3.02	2	NC*
Female	2.85	3	NC*	Female	2.03	1	NC*
Total	7.27	5	69	Total	5.06	3	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	2.39	2	NC*	Male	1.94	1	NC*
Female	0.63	1	NC*				
Total	3.02	3	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	3.71	4	NC*	Male	1.11	0	NC*
Female	3.19	4	NC*	Female	3.39	6	177
Total	6.89	8	116	Total	4.50	6	133
Liver and Intrahepati	c Bile Ducts			Uteri, Corpus and U	terus, NOS		
Male	1.90	1	NC*				
Female	0.79	0	NC*	Female	9.15	8	87
Total	2.70	1	NC*				
<b>Lung and Bronchus</b>				All Sites / Types			
Male	22.23	20	90	Male	146.89	128	87
Female	19.82	30	151 #+	Female	153.11	167	109
Total	42.05	50	119	Total	299.99	295	98

### Wilbraham

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		Exp	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	11.15	7	63	Male	7.77	6	77
Female	3.62	3	NC*	Female	5.38	4	NC*
Total	14.78	10	68	Total	13.15	10	76
<b>Brain and Other Nerv</b>	ous System			Multiple Myeloma			
Male	3.39	8	236 #+	Male	2.32	2	NC*
Female	2.59	4	NC*	Female	1.86	2	NC*
Total	5.98	12	201 #+	Total	4.19	4	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyı	mphoma_		
Male	0.56	1	NC*	Male	8.72	8	92
Female	64.82	60	93	Female	7.23	8	111
Total	65.38	61	93	Total	15.95	16	100
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	7.11	4	NC*
Female	3.15	1	NC*	Female	3.15	2	NC*
				Total	10.26	6	58
Colon / Rectum				<u>Ovary</u>			
Male	28.08	27	96	<del></del> -			
Female	23.48	16	68	Female	7.36	6	82
Total	51.57	43	83				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	4.24	3	NC*	Male	5.02	5	100
Female	1.12	1	NC*	Female	4.62	0	NC*
Total	5.36	4	NC*	Total	9.65	5	52
Hodgkin's Disease (F	lodgkin Lympho	ma)		<u>Prostate</u>			
Male	1.29	<del></del>	NC*	Male	75.70	76	100
Female	1.05	1	NC*				
Total	2.34	2	NC*				
Kidney & Renal Pelvi				Stomach .			
Male	6.86	2	NC*	Male	4.81	7	146
Female	3.84	2	NC*	Female	2.48	1	NC*
Total	10.69	4	NC*	Total	7.28	8	110
Larynx				<u>Testis</u>			
Male	3.83	2	NC*	Male	1.71	1	NC*
Female	0.92	0	NC*				
Total	4.75	2	NC*				
Leukemia		_		<u>Thyroid</u>			
Male	5.33	5	94	Male	1.41	3	NC*
Female	3.82	1	NC*	Female	3.66	2	NC*
Total	9.16	6	66	Total	5.06	5	99
Liver and Intrahepati		·		Uteri, Corpus and U		·	
Male	2.97	2	NC*	<u></u>	<u>,</u>		
Female	1.02	0	NC*	Female	12.71	11	87
Total	3.99	2	NC*	· Smale		• •	O.
Lung and Bronchus		_		All Sites / Types			
Male	36.85	21	57 ~-	Male	233.73	201	86 #-
Female	27.87	20	72	Female	199.52	158	79 ~-
Total	64.72	41	63 ~-	Total	433.25	359	83 ^-
iotai	V 1.11 Z	11	00	1000	100.20	300	00

Williamsburg
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	Ехр	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	1.59	1	NC*	Male	1.25	2	NC*
Female	0.68	0	NC*	Female	1.03	1	NC*
Total	2.27	1	NC*	Total	2.28	3	NC*
Brain and Other Nerv				Multiple Myeloma			
Male	0.56	0	NC*	Male	0.34	0	NC*
Female	0.49	2	NC*	Female	0.34	0	NC*
Total	1.05	2	NC*	Total	0.68	0	NC*
<u>Breast</u>				Non-Hodgkin('s) Lym			
Male	0.08	0	NC*	Male	1.38	5	361 #+
Female	11.80	9	76	Female	1.33	0	NC*
Total	11.89	9	76	Total	2.72	5	184
Cervix Uteri				Oral Cavity & Pharyn	<u>x</u>		
				Male	1.11	1	NC*
Female	0.62	0	NC*	Female	0.58	0	NC*
				Total	1.69	1	NC*
Colon / Rectum				<u>Ovary</u>			
Male	4.05	5	123				
Female	4.44	1	NC*	Female	1.35	0	NC*
Total	8.50	6	71				
Esophagus				<u>Pancreas</u>			
Male	0.62	3	NC*	Male	0.73	0	NC*
Female	0.21	1	NC*	Female	0.86	2	NC*
Total	0.84	4	NC*	Total	1.60	2	NC*
Hodgkin's Disease (H	odgkin Lympho	<u>ma)</u>		<u>Prostate</u>			
Male	0.26	0	NC*	Male	10.90	11	101
Female	0.22	1	NC*				
Total	0.48	1	NC*				
Kidney & Renal Pelvis	<u>s</u>			<b>Stomach</b>			
Male	1.06	0	NC*	Male	0.70	0	NC*
Female	0.69	0	NC*	Female	0.49	0	NC*
Total	1.74	0	NC*	Total	1.19	0	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	0.58	2	NC*	Male	0.41	0	NC*
Female	0.16	0	NC*				
Total	0.73	2	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	0.83	1	NC*	Male	0.26	0	NC*
Female	0.74	0	NC*	Female	0.74	1	NC*
Total	1.57	1	NC*	Total	1.00	1	NC*
Liver and Intrahepation	Bile Ducts			Uteri, Corpus and Ut	erus, NOS		
Male	0.45	0	NC*	•			
Female	0.19	0	NC*	Female	2.25	2	NC*
Total	0.64	0	NC*				
Lung and Bronchus				All Sites / Types			
Male	5.34	3	NC*	Male	34.75	37	106
Female	4.87	6	123	Female	36.74	29	79
Total	10.20	9	88	Total	71.50	66	92

# **Williamstown**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		Exp	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	6.61	8	121	Male	4.40	0	NC*
Female	2.78	4	NC*	Female	3.59	7	195
Total	9.38	12	128	Total	7.99	7	88
<b>Brain and Other Nerv</b>	ous System			Multiple Myeloma			
Male	1.97	1	NC*	Male	1.32	1	NC*
Female	1.75	3	NC*	Female	1.32	0	NC*
Total	3.72	4	NC*	Total	2.64	1	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyı	mphoma_		
Male	0.31	0	NC*	Male	5.11	3	NC*
Female	41.33	46	111	Female	5.10	4	NC*
Total	41.64	46	110	Total	10.20	7	69
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	3.83	1	NC*
Female	2.05	1	NC*	Female	2.12	1	NC*
				Total	5.96	2	NC*
Colon / Rectum				<u>Ovary</u>			
Male	16.42	14	85	<del></del> -			
Female	18.25	23	126	Female	4.77	3	NC*
Total	34.67	37	107				
<u>Esophagus</u>				<u>Pancreas</u>			
Male	2.32	1	NC*	Male	2.89	2	NC*
Female	0.86	0	NC*	Female	3.54	1	NC*
Total	3.18	1	NC*	Total	6.43	3	NC*
Hodgkin's Disease (H	lodgkin Lympho	ma)		<u>Prostate</u>			
Male	0.83	<del></del> 1	NC*	Male	40.76	51	125
Female	0.74	1	NC*				
Total	1.58	2	NC*				
Kidney & Renal Pelvi				Stomach .			
Male	3.79	6	158	Male	2.85	3	NC*
Female	2.54	4	NC*	Female	2.03	1	NC*
Total	6.33	10	158	Total	4.89	4	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	2.04	0	NC*	Male	1.25	1	NC*
Female	0.55	0	NC*				
Total	2.59	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	3.18	5	157	Male	0.81	0	NC*
Female	2.83	0	NC*	Female	2.37	0	NC*
Total	6.01	5	83	Total	3.18	0	NC*
Liver and Intrahepation				Uteri, Corpus and U			
Male	1.62	0	NC*		<u></u>		
Female	0.77	3	NC*	Female	7.83	7	89
Total	2.39	3	NC*				
Lung and Bronchus		-	-	All Sites / Types			
Male	20.56	16	78	Male	131.69	119	90
Female	18.27	16	88	Female	135.92	132	97
Total	38.83	32	82	Total	267.62	251	94
. 5.5.		~-				_•.	٠.

**Wilmington**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	9.94	10	101	Male	8.37	12	143
Female	3.34	3	NC*	Female	6.30	9	143
Total	13.27	13	98	Total	14.68	21	143
Brain and Other Nerv	ous System			Multiple Myeloma			
Male	4.02	5	124	Male	2.18	2	NC*
Female	3.05	3	NC*	Female	1.80	1	NC*
Total	7.06	8	113	Total	3.98	3	NC*
<u>Breast</u>				Non-Hodgkin('s) Ly	mphoma_		
Male	0.54	0	NC*	Male	9.21	8	87
Female	70.41	80	114	Female	7.41	9	121
Total	70.95	80	113	Total	16.62	17	102
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	7.56	5	66
Female	4.05	2	NC*	Female	3.27	4	NC*
				Total	10.82	9	83
Colon / Rectum				<u>Ovary</u>			
Male	25.66	31	121	<del></del> -			
Female	21.47	31	144	Female	8.15	11	135
Total	47.13	62	132 #+				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	4.13	4	NC*	Male	4.71	5	106
Female	1.03	0	NC*	Female	4.22	4	NC*
Total	5.16	4	NC*	Total	8.93	9	101
Hodgkin's Disease (Hodgkin Lymphoma)			<u>Prostate</u>				
Male	1.96	2	NC*	Male	72.38	88	122
Female	1.52	1	NC*				
Total	3.48	3	NC*				
Kidney & Renal Pelvi			-	Stomach			
Male	6.99	9	129	Male	4.44	3	NC*
Female	3.99	2	NC*	Female	2.25	4	NC*
Total	10.97	11	100	Total	6.68	7	105
Larynx				<u>Testis</u>			
Male	3.88	2	NC*	Male	3.14	4	NC*
Female	0.95	0	NC*				
Total	4.83	2	NC*				
<u>Leukemia</u>		_		<u>Thyroid</u>			
Male	5.62	7	125	Male	1.83	3	NC*
Female	4.09	7	171	Female	5.06	7	138
Total	9.71	14	144	Total	6.90	10	145
Liver and Intrahepati				Uteri, Corpus and U			
Male	3.03	6	198	<u></u>	<u></u>		
Female	0.96	1	NC*	Female	13.51	9	67
Total	4.00	7	175	· Sinaio		ŭ	Ç.
Lung and Bronchus		•		All Sites / Types			
Male	34.53	33	96	Male	228.59	264	115 #+
Female	27.70	48	173 ^+	Female	207.99	252	121 ~+
Total	62.24	81	130 #+	Total	436.58	516	118 ^+
i otai	V I	0.	100 11 .	1000	100.00	310	. 10

# Winchendon Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	5.09	7	137	Male	3.82	2	NC*
Female	1.93	1	NC*	Female	3.04	1	NC*
Total	7.03	8	114	Total	6.86	3	NC*
<b>Brain and Other Nerv</b>	ous System			Multiple Myeloma			
Male	1.81	0	NC*	Male	1.06	0	NC*
Female	1.50	1	NC*	Female	0.95	2	NC*
Total	3.31	1	NC*	Total	2.01	2	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyr	mphoma		
Male	0.26	0	NC*	Male	4.35	0	NC*
Female	32.86	19	58 #-	Female	3.88	6	155
Total	33.12	19	57 #-	Total	8.23	6	73
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	3.35	3	NC*
Female	1.89	2	NC*	Female	1.62	5	309
				Total	4.97	8	161
Colon / Rectum				<u>Ovary</u>			
Male	12.85	10	78	<del></del>			
Female	12.69	14	110	Female	3.86	4	NC*
Total	25.54	24	94				
<b>Esophagus</b>				Pancreas Pancreas			
Male	1.91	1	NC*	Male	2.30	0	NC*
Female	0.60	3	NC*	Female	2.45	2	NC*
Total	2.50	4	NC*	Total	4.76	2	NC*
Hodgkin's Disease (H		ma)		<u>Prostate</u>			
Male	0.86	0	NC*	Male	33.12	29	88
Female	0.75	0	NC*				
Total	1.61	0	NC*				
Kidney & Renal Pelvi				Stomach			
Male	3.21	0	NC*	Male	2.25	0	NC*
Female	1.95	2	NC*	Female	1.39	2	NC*
Total	5.15	2	NC*	Total	3.63	2	NC*
Larynx				<u>Testis</u>			
Male	1.72	0	NC*	Male	1.36	1	NC*
Female	0.43	1	NC*				
Total	2.15	1	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	2.72	2	NC*	Male	0.78	0	NC*
Female	2.19	3	NC*	Female	2.34	2	NC*
Total	4.91	5	102	Total	3.13	2	NC*
Liver and Intrahepation				Uteri, Corpus and U			
Male	1.38	2	NC*		<u> </u>		
Female	0.55	0	NC*	Female	6.13	6	98
Total	1.92	2	NC*		- · · · <del>-</del>	-	
Lung and Bronchus	-	-	-	All Sites / Types			
Male	16.41	18	110	Male	107.80	79	73 ~-
Female	13.62	15	110	Female	104.26	99	95
Total	30.02	33	110	Total	212.07	178	84 #-
· Jui	30.02			i Ottai			0111

## **Winchester**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	<u>SIR</u>
Bladder, Urinary				Melanoma of Skin			
Male	15.40	7	45 #-	Male	10.78	11	102
Female	5.97	5	84	Female	8.50	9	106
Total	21.37	12	56 #-	Total	19.28	20	104
Brain and Other Nerv	ous System			Multiple Myeloma			
Male	4.78	2	NC*	Male	3.17	4	NC*
Female	4.07	3	NC*	Female	2.96	1	NC*
Total	8.85	5	56	Total	6.13	5	82
<u>Breast</u>				Non-Hodgkin('s) Ly	mphoma		
Male	0.76	0	NC*	Male	12.20	12	98
Female	99.06	91	92	Female	11.51	13	113
Total	99.82	91	91	Total	23.71	25	105
Cervix Uteri				Oral Cavity & Phary	<u>'nx</u>		
				Male	9.72	10	103
Female	5.00	3	NC*	Female	4.92	7	142
				Total	14.64	17	116
Colon / Rectum				<u>Ovary</u>			
Male	38.77	37	95				
Female	39.11	52	133	Female	11.34	14	123
Total	77.88	89	114				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	5.78	3	NC*	Male	6.91	11	159
Female	1.85	4	NC*	Female	7.61	13	171
Total	7.63	7	92	Total	14.52	24	165 #+
Hodgkin's Disease (H	lodgkin Lympho	<u>ma)</u>		<b>Prostate</b>			
Male	1.96	3	NC*	Male	102.88	112	109
Female	1.74	2	NC*				
Total	3.70	5	135				
Kidney & Renal Pelvi	i <u>s</u>			<b>Stomach</b>			
Male	9.36	9	96	Male	6.67	7	105
Female	5.90	8	136	Female	4.25	6	141
Total	15.26	17	111	Total	10.92	13	119
Larynx				<u>Testis</u>			
Male	5.20	7	135	Male	2.83	2	NC*
Female	1.35	0	NC*				
Total	6.54	7	107				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	7.46	6	80	Male	2.02	5	247
Female	6.23	8	128	Female	5.84	3	NC*
Total	13.69	14	102	Total	7.86	8	102
Liver and Intrahepati				Uteri, Corpus and U			
Male	4.05	8	198	<del></del>			
Female	1.67	2	NC*	Female	19.01	13	68
Total	5.72	10	175				
Lung and Bronchus		-	-	All Sites / Types			
Male	50.30	44	87	Male	321.47	312	97
Female	42.47	25	59 ~-	Female	313.22	303	97
Total	92.77	69	74 #-	Total	634.69	615	97
i otai	V2.11	00	11	TOTAL	001.00	310	01

**Windsor**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		Exp	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	0.65	0	NC*	Male	0.45	2	NC*
Female	0.17	0	NC*	Female	0.27	1	NC*
Total	0.83	0	NC*	Total	0.71	3	NC*
Brain and Other Nervo	ous System			Multiple Myeloma			
Male	0.19	0	NC*	Male	0.13	0	NC*
Female	0.13	0	NC*	Female	0.09	0	NC*
Total	0.32	0	NC*	Total	0.22	0	NC*
<u>Breast</u>				Non-Hodgkin('s) Lym	nphoma		
Male	0.03	0	NC*	Male	0.51	1	NC*
Female	3.20	1	NC*	Female	0.35	0	NC*
Total	3.23	1	NC*	Total	0.85	1	NC*
Cervix Uteri				Oral Cavity & Pharyn	<u>ıx</u>		
				Male	0.41	2	NC*
Female	0.16	0	NC*	Female	0.15	0	NC*
				Total	0.56	2	NC*
Colon / Rectum				<u>Ovary</u>			
Male	1.63	0	NC*	•			
Female	1.12	0	NC*	Female	0.36	2	NC*
Total	2.76	0	NC*				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	0.24	0	NC*	Male	0.29	0	NC*
Female	0.05	0	NC*	Female	0.22	0	NC*
Total	0.29	0	NC*	Total	0.51	0	NC*
Hodgkin's Disease (Ho	odgkin Lympho	<u>ma)</u>		<u>Prostate</u>			
Male	0.08	0	NC*	Male	4.18	1	NC*
Female	0.05	0	NC*				
Total	0.13	0	NC*				
Kidney & Renal Pelvis	<b>;</b>			Stomach			
Male	0.39	2	NC*	Male	0.29	0	NC*
Female	0.18	0	NC*	Female	0.12	0	NC*
Total	0.57	2	NC*	Total	0.41	0	NC*
Larynx				<u>Testis</u>			
Male	0.21	0	NC*	 Male	0.10	0	NC*
Female	0.04	0	NC*				
Total	0.26	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	0.31	1	NC*	Male	0.08	0	NC*
Female	0.19	0	NC*	Female	0.19	1	NC*
Total	0.50	1	NC*	Total	0.27	1	NC*
Liver and Intrahepatic	Bile Ducts			Uteri, Corpus and Ut	erus, NOS		
Male	0.17	0	NC*				
Female	0.05	0	NC*	Female	0.62	0	NC*
Total	0.22	0	NC*				
Lung and Bronchus				All Sites / Types			
Male	2.04	1	NC*	Male	13.25	11	83
Female	1.31	1	NC*	Female	9.71	7	72
Total	3.35	2	NC*	Total	22.96	18	78

**Winthrop**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		Exp	<u>Obs</u>	<u>SIR</u>
Bladder, Urinary				Melanoma of Skin			
Male	12.05	9	75	Male	8.19	10	122
Female	5.37	4	NC*	Female	7.16	11	154
Total	17.42	13	75	Total	15.36	21	137
<b>Brain and Other Nerv</b>	ous System			Multiple Myeloma			
Male	3.61	4	NC*	Male	2.40	1	NC*
Female	3.41	7	205	Female	2.55	1	NC*
Total	7.02	11	157	Total	4.95	2	NC*
<u>Breast</u>				Non-Hodgkin('s) Ly	mphoma		
Male	0.58	2	NC*	Male	9.48	12	127
Female	80.02	82	102	Female	9.96	14	141
Total	80.60	84	104	Total	19.44	26	134
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	7.06	8	113
Female	4.21	9	214	Female	4.10	3	NC*
				Total	11.16	11	99
Colon / Rectum				<u>Ovary</u>			
Male	30.01	33	110				
Female	35.43	42	119	Female	9.30	9	97
Total	65.44	75	115				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	4.24	2	NC*	Male	5.28	9	171
Female	1.66	2	NC*	Female	6.85	9	131
Total	5.90	4	NC*	Total	12.13	18	148
Hodgkin's Disease (H		ma)		Prostate			
Male	1.64	3	NC*	Male	74.06	75	101
Female	1.56	0	NC*				
Total	3.19	3	NC*				
Kidney & Renal Pelvi				Stomach			
Male	 6.94	9	130	Male	5.23	4	NC*
Female	4.89	4	NC*	Female	3.94	3	NC*
Total	11.83	13	110	Total	9.17	7	76
Larynx				<u>Testis</u>			
Male	3.72	3	NC*	Male	2.63	4	NC*
Female	1.05	1	NC*				
Total	4.77	4	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	5.77	4	NC*	Male	1.57	2	NC*
Female	5.42	8	148	Female	4.96	4	NC*
Total	11.20	12	107	Total	6.53	6	92
Liver and Intrahepati				Uteri, Corpus and U			
Male	2.97	5	168		<u> </u>		
Female	1.49	3	NC*	Female	14.96	22	147
Total	4.46	8	180				
Lung and Bronchus	-	-		All Sites / Types			
Male	37.44	45	120	Male	241.09	257	107
Female	35.13	41	117	Female	263.90	304	115 #+
Total	72.57	86	119	Total	504.99	561	111 #+
10001				1001	3300	301	

**Woburn**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	22.73	15	66	Male	16.53	16	97
Female	8.95	11	123	Female	13.52	12	89
Total	31.68	26	82	Total	30.05	28	93
Brain and Other Ner	vous System			Multiple Myeloma			
Male	7.62	7	92	Male	4.65	5	107
Female	6.51	8	123	Female	4.42	6	136
Total	14.13	15	106	Total	9.07	11	121
<u>Breast</u>				Non-Hodgkin('s) Lyi	mphoma		
Male	1.14	1	NC*	Male	18.90	18	95
Female	148.86	160	107	Female	17.81	17	95
Total	150.01	161	107	Total	36.71	35	95
Cervix Uteri				Oral Cavity & Phary	<u>nx</u>		
				Male	14.30	15	105
Female	8.31	8	96	Female	7.39	9	122
				Total	21.68	24	111
Colon / Rectum				<u>Ovary</u>			
Male	57.48	67	117				
Female	58.17	66	113	Female	17.46	19	109
Total	115.64	133	115				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	8.44	9	107	Male	10.16	9	89
Female	2.75	2	NC*	Female	11.42	20	175 #+
Total	11.20	11	98	Total	21.59	29	134
Hodgkin's Disease (	Hodgkin Lympho	ma)		<u>Prostate</u>			
Male	3.69	6	162	Male	150.22	139	93
Female	3.19	1	NC*				
Total	6.89	7	102				
Kidney & Renal Pelv	is			Stomach			
Male	 13.85	7	51	Male	9.85	7	71
Female	9.02	5	55	Female	6.31	7	111
Total	22.87	12	52 #-	Total	16.16	14	87
<u>Larynx</u>				<u>Testis</u>			
Male	7.57	4	NC*	Male	6.19	7	113
Female	2.03	0	NC*				
Total	9.60	4	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	11.46	13	113	Male	3.40	6	176
Female	9.50	15	158	Female	10.14	7	69
Total	20.96	28	134	Total	13.54	13	96
Liver and Intrahepat				Uteri, Corpus and U			
Male	5.98	7	117	<del></del>	<u> </u>		
Female	2.51	2	NC*	Female	28.09	22	78
Total	8.49	9	106				
Lung and Bronchus	-	-		All Sites / Types			
Male	74.33	89	120	Male	479.94	475	99
Female	64.53	78	121	Female	475.11	524	110 #+
Total	138.86	167	120 #+	Total	955.05	999	105
		. • .	"	. 5.5		,,,	

### **Worcester**Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	102.30	97	95	Male	70.38	53	75 #-
Female	44.45	42	94	Female	60.74	41	68 ~-
Total	146.76	139	95	Total	131.12	94	72 ^-
<b>Brain and Other Ner</b>	vous System			Multiple Myeloma			
Male	32.78	26	79	Male	20.32	24	118
Female	30.27	31	102	Female	21.13	26	123
Total	63.05	57	90	Total	41.45	50	121
<u>Breast</u>				Non-Hodgkin('s) Ly	mphoma		
Male	4.89	3	NC*	Male	82.42	97	118
Female	665.22	584	88 ~-	Female	84.25	83	99
Total	670.11	587	88 ~-	Total	166.67	180	108
Cervix Uteri				Oral Cavity & Phary	<u>/nx</u>		
				Male	59.38	61	103
Female	36.16	38	105	Female	34.18	38	111
				Total	93.56	99	106
Colon / Rectum				<u>Ovary</u>			
Male	254.72	226	89				
Female	293.53	268	91	Female	78.14	74	95
Total	548.25	494	90 #-				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	35.51	31	87	Male	44.60	42	94
Female	13.74	9	65	Female	56.84	60	106
Total	49.26	40	81	Total	101.44	102	101
Hodgkin's Disease (	Hodgkin Lympho	<u>ma)</u>		<u>Prostate</u>			
Male	15.73	13	83	Male	619.07	485	78 ^-
Female	14.32	13	91				
Total	30.06	26	86				
Kidney & Renal Pelv	<u>vis</u>			<b>Stomach</b>			
Male	58.98	54	92	Male	44.33	39	88
Female	41.11	43	105	Female	32.37	27	83
Total	100.09	97	97	Total	76.70	66	86
Larynx				<u>Testis</u>			
Male	31.07	30	97	Male	25.99	26	100
Female	8.77	9	103				
Total	39.84	39	98				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	51.56	47	91	Male	13.94	9	65
Female	46.72	53	113	Female	43.50	50	115
Total	98.28	100	102	Total	57.43	59	103
Liver and Intrahepat				Uteri, Corpus and L	Jterus, NOS		
Male	25.14	32	127				
Female	12.40	6	48	Female	123.83	131	106
Total	37.54	38	101				
Lung and Bronchus				All Sites / Types			
Male	316.18	345	109	Male	2050.57	1883	92 ^-
Female	294.38	298	101	Female	2206.93	2086	95 ~-
Total	610.56	643	105	Total	4257.50	3969	93 ^-

Worthington
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	0.92	2	NC*	Male	0.68	0	NC*
Female	0.26	0	NC*	Female	0.47	0	NC*
Total	1.19	2	NC*	Total	1.14	0	NC*
<b>Brain and Other Nerve</b>	ous System			Multiple Myeloma			
Male	0.30	0	NC*	Male	0.19	0	NC*
Female	0.22	0	NC*	Female	0.14	0	NC*
Total	0.52	0	NC*	Total	0.33	0	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyn	nphoma		
Male	0.05	0	NC*	Male	0.75	2	NC*
Female	5.38	5	93	Female	0.56	0	NC*
Total	5.42	5	92	Total	1.31	2	NC*
Cervix Uteri				Oral Cavity & Pharyr	<u>1X</u>		
				Male	0.62	0	NC*
Female	0.29	1	NC*	Female	0.25	0	NC*
				Total	0.87	0	NC*
Colon / Rectum				<u>Ovary</u>			
Male	2.33	0	NC*	-			
Female	1.73	1	NC*	Female	0.61	0	NC*
Total	4.05	1	NC*				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	0.35	1	NC*	Male	0.42	0	NC*
Female	0.08	0	NC*	Female	0.33	0	NC*
Total	0.44	1	NC*	Total	0.75	0	NC*
Hodgkin's Disease (H	odgkin Lympho	<u>ma)</u>		<u>Prostate</u>			
Male	0.12	0	NC*	Male	6.19	13	210 #+
Female	0.10	0	NC*				
Total	0.22	0	NC*				
Kidney & Renal Pelvis	<u>s</u>			<b>Stomach</b>			
Male	0.59	1	NC*	Male	0.41	0	NC*
Female	0.30	0	NC*	Female	0.18	0	NC*
Total	0.89	1	NC*	Total	0.59	0	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	0.32	0	NC*	Male	0.17	1	NC*
Female	0.07	0	NC*				
Total	0.39	0	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	0.46	0	NC*	Male	0.13	0	NC*
Female	0.31	1	NC*	Female	0.36	1	NC*
Total	0.77	1	NC*	Total	0.48	1	NC*
Liver and Intrahepation	Bile Ducts			Uteri, Corpus and Ut	erus, NOS		
Male	0.25	0	NC*				
Female	0.08	0	NC*	Female	1.03	0	NC*
Total	0.33	0	NC*				
Lung and Bronchus				All Sites / Types			
Male	3.01	1	NC*	Male	19.50	21	108
Female	2.07	0	NC*	Female	15.89	9	57
Total	5.08	1	NC*	Total	35.39	30	85

### Wrentham

Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	SIR		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	5.37	4	NC*	Male	4.50	5	111
Female	2.05	4	NC*	Female	3.48	5	144
Total	7.41	8	108	Total	7.99	10	125
Brain and Other Nerv	ous System			Multiple Myeloma			
Male	2.11	1	NC*	Male	1.18	2	NC*
Female	1.66	0	NC*	Female	1.06	1	NC*
Total	3.77	1	NC*	Total	2.24	3	NC*
<u>Breast</u>				Non-Hodgkin('s) Lyr	<u>nphoma</u>		
Male	0.29	0	NC*	Male	4.91	5	102
Female	39.40	35	89	Female	4.25	1	NC*
Total	39.69	35	88	Total	9.16	6	65
Cervix Uteri				Oral Cavity & Phary	<u>1X</u>		
				Male	4.16	4	NC*
Female	2.17	1	NC*	Female	1.87	5	267
				Total	6.03	9	149
Colon / Rectum				<u>Ovary</u>			
Male	13.80	12	87				
Female	13.24	17	128	Female	4.54	8	176
Total	27.04	29	107				
<u>Esophagus</u>				<u>Pancreas</u>			
Male	2.24	1	NC*	Male	2.56	0	NC*
Female	0.63	1	NC*	Female	2.59	2	NC*
Total	2.87	2	NC*	Total	5.15	2	NC*
Hodgkin's Disease (H	odgkin Lympho	ma)		<u>Prostate</u>			
Male	0.98	1	NC*	Male	38.61	29	75
Female	0.79	1	NC*				
Total	1.77	2	NC*				
Kidney & Renal Pelvis	S			Stomach			
Male	3.78	2	NC*	Male	2.44	3	NC*
Female	2.25	2	NC*	Female	1.44	0	NC*
Total	6.03	4	NC*	Total	3.88	3	NC*
<u>Larynx</u>				<u>Testis</u>			
Male	2.10	2	NC*	Male	1.48	2	NC*
Female	0.53	0	NC*				
Total	2.63	2	NC*				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	2.99	5	167	Male	0.96	0	NC*
Female	2.38	6	252	Female	2.66	3	NC*
Total	5.37	11	205 #+	Total	3.62	3	NC*
Liver and Intrahepation				Uteri, Corpus and Ut			
Male	1.64	0	NC*				
Female	0.58	1	NC*	Female	7.54	9	119
Total	2.22	1	NC*				
Lung and Bronchus		•	-	All Sites / Types			
Male	18.28	21	115	Male	122.11	105	86
Female	15.67	18	115	Female	118.93	128	108
Total	33.95	39	115	Total	241.05	233	97
1 3101	55.55			iotai		200	01

Yarmouth
Expected and Observed Case Counts, with Standardized Incidence Ratios, 1996 – 2000

	<u>Exp</u>	<u>Obs</u>	<u>SIR</u>		<u>Exp</u>	<u>Obs</u>	SIR
Bladder, Urinary				Melanoma of Skin			
Male	28.68	28	98	Male	15.51	37	239 ^+
Female	11.27	16	142	Female	11.82	23	195 ~+
Total	39.95	44	110	Total	27.33	60	220 ^+
<b>Brain and Other Nerv</b>	vous System			<b>Multiple Myeloma</b>			
Male	6.24	10	160	Male	5.34	6	112
Female	5.94	10	168	Female	5.16	4	NC*
Total	12.17	20	164 #+	Total	10.50	10	95
<u>Breast</u>				Non-Hodgkin('s) Ly	mphoma		
Male	1.23	2	NC*	Male	18.99	31	163 #+
Female	141.28	176	125 ~+	Female	19.38	16	83
Total	142.50	178	125 ~+	Total	38.38	47	122
Cervix Uteri				Oral Cavity & Phary	<u>'nx</u>		
				Male	13.00	9	69
Female	6.09	3	NC*	Female	7.74	5	65
				Total	20.74	14	68
Colon / Rectum				<u>Ovary</u>			
Male	69.28	65	94	•			
Female	74.77	72	96	Female	16.25	17	105
Total	144.06	137	95				
<b>Esophagus</b>				<u>Pancreas</u>			
Male	8.77	9	103	Male	11.78	15	127
Female	3.49	2	NC*	Female	14.52	18	124
Total	12.26	11	90	Total	26.29	33	126
Hodgkin's Disease (Hodgkin Lymphoma)			<u>Prostate</u>				
Male	2.08	4	NC*	Male	154.07	240	156 ^+
Female	2.13	1	NC*				
Total	4.21	5	119				
Kidney & Renal Pelvi				Stomach .			
Male	 13.88	19	137	Male	12.07	14	116
Female	9.28	14	151	Female	8.27	4	NC*
Total	23.15	33	143	Total	20.33	18	89
<u>Larynx</u>				<u>Testis</u>			
Male	7.20	8	111	Male	2.69	3	NC*
Female	1.96	1	NC*				
Total	9.17	9	98				
<u>Leukemia</u>				<u>Thyroid</u>			
Male	11.97	11	92	Male	2.22	0	NC*
Female	10.33	13	126	Female	6.46	6	93
Total	22.31	24	108	Total	8.67	6	69
Liver and Intrahepati				Uteri, Corpus and U			
Male	5.84	10	171				
Female	3.08	0	NC*	Female	26.92	31	115
Total	8.92	10	112			<del>.</del> .	
Lung and Bronchus		-	•	All Sites / Types			
Male	81.91	84	103	Male	508.30	654	129 ^+
Female	69.79	100	143 ^+	Female	497.11	577	116 ^+
Total	151.71	184	121 #+	Total	1005.41	1231	122 ^+
		. • .	"				